

Tender Document

Punjab Forensic Science Agency (PFSA)

PURCHASE OF MOVEABLE AND LAB FURNITURE FOR TRAINING LAB

FSA-TL-1



Punjab Forensic Science Agency (PFSA)

Home Department, Government of the Punjab
Head Office: PFSA Thokar Niaz Baig, Multan Road, Lahore. Pakistan
Tel: +92 42 37840007
Fax: +92 42 99232761
Email: info.pfsa@punjab.gov.pk
Web: www.pfsa.gop.pk

Table of Contents

Invitation to Bid	4
Bidding Details (Instruction to Bidders).....	5
TERMS AND CONDITIONS OF THE TENDER	6
Definitions.....	6
Headings and Titles.....	7
Notice.....	7
Tender Scope	7
Tender Eligibility	7
Tender Cost.....	8
Joint Venture / Consortium:.....	8
Examination of the Tender Document.....	8
Clarification of the Tender Document	8
Amendment of the Tender Document.....	8
Preparation / Submission of Tender.....	8
Tender Price	10
Tender Security.....	11
Tender Validity	11
Modification / Withdrawal of the Tender	11
Opening of the Tender	12
Clarification of the Tender.....	12
Determination of Responsiveness of the Bid (Tender).....	12
Correction of errors / Amendment of Tender	14
Rejection / Acceptance of the Tender	14
Acceptance Letter (Letter of Intent)	15
Performance Security.....	15
TERMS & CONDITIONS OF THE CONTRACT	16
Contract Documents and Information.....	19
Contract Language	19
Standards.....	19
Commercial Availability.....	19
Patent Right.....	19
Execution Schedule.....	19
Packing.....	19
Insurance	19
Labeling	19
Delivery.....	20

Safety..	20
Inspection and Testing	20
Taking-Over Certificate	20
Warranty	20
Ownership of Goods and Replaced Components	21
Payment.....	21
Price...	21
Stamp Papers for the contract Signing.....	21
Contract Amendment	21
Assignment / Subcontract	22
Extensions in time for performance of obligations under the Contract	22
Liquidated Damages	22
Blacklisting	22
Termination for Default	22
Termination for Insolvency.....	23
Termination for Convenience	23
Force Majeure	23
Dispute Resolution.....	23
Statutes and Regulations	23
Contract Cost	23
The Client.....	24
Authorized Representative.....	24
Waiver.....	24
Special Stipulations.....	25

1- Important Note:

Bidders must ensure that they submit all the required documents indicated in the Bidding Documents without fail. Bids received without, undertakings, valid documentary evidence, supporting documents and the manner for the various requirements mentioned in the Bidding Documents or test certificates are liable to be rejected at the initial stage itself. The data sheets, valid documentary evidences for the critical components as detailed hereinafter should be submitted by the Bidder for scrutiny. It is intimated that no objection shall be entertained regarding the terms and conditions of the Bidding Document at the later stages during tender process.

Applicability of Punjab Procurement Rules, 2014

This Bidding Process will be governed under Punjab Procurement Rules, 2014, as amended from time to time and instructions of the Government of the Punjab received during the completion of the project

2- Invitation to Bid

2.1 PPRA Rules to be followed

Punjab Procurement Rules 2014 will be strictly followed. These may be obtained from PPRA's website:

<http://ppra.punjab.gov.pk/PublicPages/prorules1.aspx>

In this document, unless otherwise mentioned to the contrary, "Rule" means a Rule under the Punjab Procurement Rules 2014.

2.2 Mode of Advertisement(s)

As per Rule 12(1), this Tender is being placed online at PPRA's website, as well as being advertised in print media.

All prospective bidders are required to enclose photo copy of DD/P.O. of Rs. 2000/- in favor of **“Director General, Punjab Forensic Science Agency”** with the bids, OR Original Receipt of Tender Purchased, **else wise the bid will stand rejected.**

2.3 Type of Open Competitive Bidding

As per Rule 38, 2(a), Single Stage - Two Envelope Procedure shall be followed. This is as follows:

- i. The bid shall comprise of a single package containing two separate envelopes. Each envelope shall contain separately the financial proposal and the technical proposal;
- ii. The envelopes shall be marked as **“FINANCIAL PROPOSAL”** and **“TECHNICAL PROPOSAL”** in bold and legible letters to avoid confusion;
- iii. Initially, only the envelope marked **“TECHNICAL PROPOSAL”** shall be opened;
- iv. The envelope marked as **“FINANCIAL PROPOSAL”** shall be retained in the custody of the procuring agency without being opened;
- v. The Purchaser shall evaluate the technical proposal in a manner prescribed in Section 7, 13 and Annexure-A of this document, without reference to the price and reject any proposal which does not conform to the specified requirements as listed in said Sections.
- vi. During the technical evaluation no amendments in the technical proposal shall be permitted;
- vii. The financial proposals of technically qualified bidders shall be opened publicly at a time, date and venue announced and communicated to the bidders in advance;
- viii. After the evaluation and approval of the technical proposal the procuring agency, shall at a time within the bid validity period, publicly open the financial proposals of the technically accepted and

qualified bids only. The financial proposal of bids found technically non-responsive shall be returned un-opened to the respective bidders.

In accordance with these rules, interested companies (hereinafter referred to as “Bidders”) applying for bids should submit two separate **bids/envelopes for Financial Proposal and Technical Proposal**.

2.4 Bidding Details (Instruction to Bidders)

All bids must be accompanied by a call deposit equivalent PKR (CDR) of **02% of estimated price (99,719,710/-) in favor of “Director General, Punjab Forensic Science Agency, Lahore”**. The bids along with CDR, Tender Forms, Affidavits, etc., must be delivered into the Tender Box, placed at reception of Punjab Forensic Science Agency, Lahore on or **before 1100 hrs no later than 02-01-2020**. The Technical bids will be publicly opened in the Punjab Forensic Science Agency, Head Office: PFSA Thokar Niaz Baig, Multan Road, Lahore **at 11:30 hours** on the last date of submission of bids. Queries of the Bidders (if any) for seeking clarifications regarding the specifications must be received in writing to the Purchaser within five working days from the date of Tender advertisement. Any query received after five working days shall not be entertained. All queries shall be responded to within due time. PFSA may host a Q&A session, if required, at PFSA premises (Punjab Forensic Science Agency, Head Office: PFSA Thokar Niaz Baig, Multan Road, Lahore). All Bidders shall be informed of the date and time in advance.

The bidders must submit bids in accordance with the packages (A or B or both A & B) as mentioned in Specification. Failure to meet this condition will cause disqualification of the bidder. The bidder shall submit bids which comply with the Bidding Document. Alternative bids will not be considered. The attention of bidders is drawn to the provisions of Clause on **“Determination of Responsiveness of Bid”** regarding the rejection of Bids, which are not substantially responsive to the requirements of the Bidding Document.

The Primary Contact & Secondary Contact for all correspondence in relation to this bid is as follows:

Primary Contact

Deputy Director (Finance),
Punjab Forensic Science Agency
Lahore

Secondary Contact

Procurement Section
Punjab Forensic Science Agency
Lahore

Bidders should note that during the period from the receipt of the bid and until further notice from the Primary Contact, all queries should be communicated via the Primary Contact and in writing (e-mail) only. In the case of an urgent situation where the Primary Contact cannot be contacted, the bidder may alternatively direct their enquiries through the Secondary Contact.

Bidders are also required to state, in their proposals, the name, title, fax number and e-mail address of the bidder’s authorized representative through whom all communications shall be directed until the process has been completed or terminated.

The Purchaser will not be responsible for any costs or expenses incurred by bidders in connection with the preparation or delivery of bids. As authority competent to accept the tender, the Purchaser reserves the right to cancel the tender, accept or reject one or all bids without assigning any reason thereof.

TERMS AND CONDITIONS OF THE TENDER

Definitions

- 3.1 In this document, unless there is anything repugnant in the subject or context:
- 3.2 "Authorized Representative" means any representative appointed, from time to time, by the Client, the Purchaser or the Contractor.
- 3.3 "Availability and Reliability" means the probability that a component shall be operationally ready to perform its function when called upon at any point in time.
- 3.4 "Client" means the Project lead of technical wing of the Purchaser for whose' particular project the Goods / Services have been procured or any other person, duly appointed in writing, by the Client, for the time being or from time to time, to act as Client for the purposes of the Contract.
- 3.5 "Bidder/Tenderer" means the Firm/Company/Supplier/Distributers that may provide or provides the same hardware/equipment, etc. and related services to any of the public sector organization under the contract and have registered for the relevant business thereof.
- 3.6 "Commencement Date of the Contract" means the date of signing of the Contract between the Purchaser and the Contractor.
- 3.7 "Contract" means the agreement entered into between the Purchaser and the Contractor, as recorded in the Contract Form signed by the parties, including all Schedules and Attachments thereto and all documents incorporated by reference therein.
- 3.8 "Contractor" means the person whose Tender has been accepted and awarded letter of Intent followed by the Contract by the Purchaser.
- 3.9 "Contract Price" means the price payable to the Contractor under the Contract for the full and proper performance of its contractual obligations.
- 3.10 "Contract Value" means that portion of the Contract Price adjusted to give effect to such additions or deductions as are provided for in the Contract which is properly apportion-able to the Goods or Services in question.
- 3.11 "Defects Liability Expiry Certificate" means the certificate to be issued by the Client to the Contractor, in accordance with the Contract.
- 3.12 "Day" means calendar day.
- 3.13 "Defects Liability Period" means the warranty period following the taking over, during which the Contractor is responsible for making good, defects and damage in Goods and Services provided, under the Contract.
- 3.14 "Force Majeure" means an event beyond the control of the Contractor and not involving the Contractor's fault or negligence and not foreseeable. Such events may include, but are not restricted to, acts of the Purchaser in its sovereign capacity, wars, revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- 3.15 "Goods" means equipment, machinery, and/or other materials which the Contractor is required to supply to the Purchaser under the Contract.
- 3.16 "Person" includes individual, association of persons, firm, company, corporation, institution and organization, etc., having legal capacity.
- 3.17 "Prescribed" means prescribed in the Tender Document.
- 3.18 "Purchaser" means the Punjab Forensic Science Agency (PFSA), or any other person for the time being or from time to time duly appointed in writing by the Purchaser to act as Purchaser for the purposes of the Contract.
- 3.19 "Origin" shall be considered to be the place where the Goods are produced or from where the Services are provided. Goods are produced when, through manufacturing, processing or assembling of components, a commercially recognized product results that is substantially

different in basic characteristics or in purpose or utility from its components. The origin of Goods and Services is distinct from the nationality of the Contractor.

- 3.20 "Services" means installation, configuration, deployment, commissioning, testing, training, support, after sale service, etc. of Goods and other such obligations which the Contractor is required to provide to the Purchaser under the Contract.
- 3.21 "Taking-Over Certificate" means the certificate to be issued by the Client to the Contractor, in accordance with the Contract.
- 3.22 "Works" means work to be done by the Contractor under the Contract.

Headings and Titles

In this document, headings and titles shall not be construed to be part thereof or be taken into consideration in the interpretation of the document and words importing the singular only shall also include the plural and vice versa where the context so requires.

Notice

- 5.1 In this document, unless otherwise specified, wherever provision is made for exchanging notice, certificate, order, consent, approval or instructions amongst the Contractor, the Purchaser and the Client, the same shall be:
 - 5.1.1 in writing;
 - 5.1.2 issued within reasonable time;
 - 5.1.3 served by sending the same by courier or registered post to their principal office in Pakistan or such other address as they shall notify for the purpose; and
 - 5.1.4 The words "notify", "certify", "order", "consent", "approve", "instruct", shall be construed accordingly.

Tender Scope

- 6.1 Punjab Forensic Science Agency (PFSA), (hereinafter referred to as "the Purchaser") invites / requests Proposals (hereinafter referred to as "the Tenders") for **Purchase of Moveable & Lab Furniture for Training Lab** (herein after referred to as "the Goods")
- 6.2 Purchaser have full rights to Quantity may increase or decrease at the time of issuance of Purchase Order

Tender Eligibility

- 7.1 Eligible Tenderer is a Tenderer who:
 - 7.1.1 has a registered office in Pakistan;
 - 7.1.2 has required relevant experience
 - 7.1.3 is manufacture of Goods / provider of Services or authorized dealer / agent of original manufacturer of Goods / provider of Services.
 - 7.1.4 Conforms to the clause of "Responsiveness of Bid" given herein this tender document.
 - 7.1.7 Goods and Services can only be supplied / sources / routed from "origin" in "eligible" member countries.
 - a. "Eligible" is defined as any country or region that is allowed to do business in Pakistan by the law of Government of Pakistan.
 - b. "origin" shall be considered to be the place where the Goods are produced or from which the Services are provided. Goods are produced when, through manufacturing, processing or substantial and major assembling of components, a commercially recognized product results that is substantially different in basic characteristics or in purpose or utility from its components.

Tender Cost

The Tenderer shall bear all costs / expenses associated with the preparation and submission of the Tender(s) and the Purchaser shall in no case be responsible / liable for those costs / expenses.

Joint Venture / Consortium:

Joint venture or partnership firms are **ALLOWED / eligible (Maximum of TWO Companies)** for this tender. Only those companies which are validly registered with sales tax and income tax departments and having sound financial strengths can participate.

Bids submitted by a consortium of two companies or partners (maximum) shall comply with the following requirements:

- I. Consortium/Local partner shall have credibility and shall provide references in financial strengths.
- II. The Bid, and in case of successful Bid, the Contract form, shall be signed by all so as to be legally binding on all the partners.
- III. One of the partners shall be authorized to be lead partner; and this authority shall be evidenced by submitting a power of attorney signed by legally authorized signatories of all the partners.
- IV. The partner Lead Partner shall be authorized to incur liabilities, receive payments and receive instructions for and on behalf of any or all partners of the consortium.
- V. A copy of the agreement entered into by the consortium partners shall be submitted with the Bid

Examination of the Tender Document

The Tenderer is expected to examine the Tender Document, including all instructions and terms and conditions.

Clarification of the Tender Document

The prospective bidders may solicit clarification of the Tender Document, within 05 working days of issuance of tender in writing. The clarification and its replies will be shared with all prospective bidders.

Amendment of the Tender Document

- 12.1 The Purchaser may, at any time prior to the deadline for submission of the Tender, at its own initiative or in response to a clarification requested by the Bidder, amend the Tender Document, on any account, for any reason. All amendment(s) shall be part of the Tender Document and binding on the Bidder.
- 12.2 The Purchaser shall notify the amendment(s) in writing to the prospective Tenderers.
- 12.3 The Purchaser may, at its exclusive discretion, amend the Tender Document to extend the deadline for the submission of the Tender, in which case all rights and obligations of the Purchaser and the Tenderers previously subject to the deadline shall thereafter be subject to the deadline as extended.

Preparation / Submission of Tender

- 13.1 The Tender and all documents relating to the Tender, exchanged between the Tenderer and the Purchaser, shall be in English. Any printed literature furnished by the Tenderer in another language shall be accompanied by an English translation which shall govern for purposes of interpretation of the Tender.
- 13.2 The Tender shall be filed in / accompanied by the prescribed Forms, Annexes, Schedules, Charts, Drawings, Documents, Brochures, Literature, etc. which shall be typed, completely filled in, stamped and signed by the Tenderer or his Authorized Representative. In case of copies,

photocopies may be submitted.

- 13.3 The Tender shall be in two parts i.e. the technical proposal and the financial proposal. Each proposal shall be in two sets i.e. the original and the copy. In the event of any discrepancy between the original and the duplicate, the original shall govern.
- 13.4 The Technical Proposal shall comprise the following, **without quoting the price:**
- 13.5 Technical Proposal Form (Annexure-A)
- 13.5.1 Affidavit and Undertaking (All terms & conditions and qualifications listed anywhere in the RFP have been satisfactorily vetted) (Annexure-G&H)
- 13.5.2 Covering letter duly signed and stamped by authorized representative. (Annexure-E)
- 13.5.3 Authorized Certificate / document from the principle / manufacturer.
- 13.5.4 Evidence of eligibility of the Tenderer and the Goods
- 13.5.5 Evidence of conformity of the Goods / the Services to the Tender Document
- 13.5.6 Undertaking and Evidence that the quoted Goods are genuine, brand new, non- refurbished, unaltered in any way, of the most recent / current model, imported through proper channel, and incorporate all recent improvements in design and materials
- 13.5.7 Technical Brochures / Literature
- 13.5.8 Details of Warranty and After-Sale Service
- 13.5.9 The Contractor's financial capacity to mobilize and sustain the Supply of Furniture. In the Proposal, the Bidder is required to provide information on its financial status. This requirement can be met by submission of one of the following:
 - (1) audited financial statements for the last One (01) year, supported by audit letters,
 - (2) certified financial statements for the last One (01) year, supported by tax returns duly signed and stamped by authorized representative.
- 13.5.10 The statement must be signed by the authorized representative of the Bidder
- 13.5.11 Valid Registration Certificate for Income Tax & Sales Tax
- 13.5.12 Income Tax & Sales Tax Returns for the last One tax year
- 13.5.13 Power of Attorney, if an authorized representative is appointed

13.6 The Financial Proposal shall comprise the following:

- 13.6.1 Financial Proposal Form (Annexure-C)
- 13.6.2 Price Schedule
- 13.6.3 Tender Security (equivalent PKR **02% of the estimated price in shape of CDR**)
- 13.7 The Tenderer shall seal the Original Technical Proposal in an envelope duly marked as under:
 - Original Technical Tender for
 - Tender Name. [Number of Tender]
 - [Name of the Purchaser]
 - [Address of the Purchaser]
 - [Name of the Tenderer]
 - [Address of the Tenderer]
 - [Phone No. of the Tenderer]
- 13.8 The Tenderer shall seal the Duplicate Technical Tender in an envelope duly marked as under:
 - Duplicate Technical Proposal for
 - Tender Name. [Name of Tender]

[Name of the Purchaser]
[Address of the Purchaser]
[Name of the Tenderer]
[Address of the Tenderer]
[Phone No. of the Tenderer]

- 13.9 The Tenderer shall follow the same process for the Financial Tender.
- 13.10 The Tenderer shall again seal the sealed envelopes of Original Technical Proposal and the Original Financial Proposal in an outer envelope, duly marking the envelope as under:
Original Tender for
Tender Name. [Name of Tender]
Strictly Confidential
Open on [Last Date of submission of the Tender]
[Name of the Purchaser]
[Address of the Purchaser]
[Name of the Tenderer]
[Address of the Tenderer]
[Phone No. of the Tenderer]
- 13.11 The Tenderer shall again seal the sealed envelopes of Duplicate Technical Proposal and the Duplicate Financial Proposal in an outer envelope, duly marking the envelope as under:
Duplicate Tender for
Tender Name. [Name of Tender]
Strictly Confidential
Open on [Last Date of submission of the Tender]
[Name of the Purchaser]
[Address of the Purchaser]
[Name of the Tenderer]
[Address of the Tenderer]
[Phone No. of the Tenderer]
- 13.12 The Tenderer shall enclose soft copies of the Technical Proposal and the Financial Proposals, including all Forms, Annexes, Schedules, Charts, Drawings, Documents, Brochures, Literature, etc., in the form of MS Word Documents, MS Excel Worksheets and Scanned images, with the hard copies.
- 13.13 The Tender shall be mailed to reach and dropped in the Tender Box placed at the Reception of the Purchaser's office, during office hours, up to due date and time.
- 13.14 This is made obligatory to affix authorized signatures with official seal on all original and duplicate (copies) documents, annexure, copies, certificates, brochures, literature, drawings, letters, forms and all relevant documents as part of the bids submitted by the tenderer. Noncompliance with the same will cause the rejection of bid at the time of opening.

Tender Price

- 14.1 The quoted price shall be:

- 14.1.1 best / final / fixed and valid until completion of all obligations under the Contract i.e. not subject to variation / escalation;
- 14.1.2 on delivery at PFSA Site based including all charges;
- 14.1.3 in Pak Rupees
- 14.1.4 on delivery at PFSA Site
- 14.2 If not specifically mentioned in the Tender(s), it shall be presumed that the quoted price is as per the above requirements.
- 14.3 Where no prices are entered against any item(s), the price of that item shall be deemed to have been distributed among the prices of other items, and no separate payment shall be made for that item(s).
- 14.4 Each cost should be identified as installation (one time) or monthly/quarterly/yearly (recurring) for any other equipment rental or any support of operation services thereof.
- 14.5 In case of Contract of imported Equipment/Services offered Ex-Warehouse/Off-the-Shelf from within the Purchaser's country, import duties and sales and other taxes already paid shall be shown separately.

Tender Security

- 15.1 The Tenderer shall furnish the Tender Security as under:
- 15.2 As part of financial bid envelope, failing which will cause rejection of bid.
 - 15.2.1 for a sum equivalent to equivalent PKR 2% of the estimated Price;
 - 15.2.2 CDR denominated in Pak Rupees;
 - 15.2.3 have a minimum validity period of ninety days from the last date for submission of the Tender or until furnishing of the Performance Security, whichever is later.
- 15.3 The proceeds of the Tender Security shall be payable to the Purchaser, on the occurrence of any / all of the following conditions:
 - 15.3.1 If the Tenderer withdraws the Tender during the period of the Tender validity specified by the Tenderer on the Tender Form; or
 - 15.3.2 If the Tenderer does not accept the corrections of his Total Tender Price; or
 - 15.3.3 If the Tenderer, having been notified of the acceptance of the Tender by the Purchaser during the period of the Tender validity, fails or refuses to furnish the Performance Security, in accordance with the Tender Document.
- 15.4 The Tender security shall be returned to the technically unsuccessful Tenderer with unopened/sealed financial bid while the unsuccessful bidders of financial bid opening procedure will be returned the tender security only. The Tender Security shall be returned to the successful Tenderer on furnishing the Performance Security.

Tender Validity

The Tender shall have a minimum validity period of ninety days from the last date for submission of the Tender. The Purchaser may solicit the Tenderer's consent to an extension of the validity period of the Tender. The request and the response thereto shall be made in writing. If the Tenderer agrees to extension of validity period of the Tender, the validity period of the Tender security shall also be suitably extended. The Tenderer may refuse extension of validity period of the Tender, without forfeiting the Tender security.

Modification / Withdrawal of the Tender

- 17.1 The Tenderer may, by written notice served on the Purchaser, modify or withdraw the Tender after submission of the Tender, prior to the deadline for submission of the Tender.
- 17.2 The Tender, withdrawn after the deadline for submission of the Tender and prior to the expiration

of the period of the Tender validity, shall result in forfeiture of the Tender Security.

Opening of the Tender

- 18.1 Tenders shall be opened, at the given place, time and date, in the presence of the Tenderer(s) for which they shall ensure their presence without further invitation.
- 18.2 The Tenderer's name, modifications, withdrawal, security, attendance of the Tenderer and such other details as the Purchaser may, at its exclusive discretion, consider appropriate, shall be announced and recorded.
- 18.3 No tenderer or its representative will be allowed to keep any digital device (camera, audio recorder, cell phone etc.) during tender opening meeting at given time and location. Non-compliance will cause the rejection of respective bidder.

Clarification of the Tender

The Purchaser shall have the right, at his exclusive discretion, to require, in writing, further information or clarification of the Tender, from any or all the Tenderer(s). No change in the price or substance of the Tender shall be sought, offered or permitted except as required to confirm the corrections of arithmetical errors discovered in the Tender. Acceptance of any such correction is sold discretion of the purchaser

Determination of Responsiveness of the Bid (Tender)

- 20.1 The Purchaser shall determine the substantial responsiveness of the Tender to the Tender Document, prior to the Tender evaluation, on the basis of the contents of the Tender itself without recourse to extrinsic evidence. A substantially responsive Tender is one which:
 - 20.1.1 meets the eligibility criteria for the Tenderer / the Goods / the Services;
 - 20.1.2 meets the Technical Specifications for the Goods / the Services;
 - 20.1.3 meets the delivery period / point for the Goods / the Services;
 - 20.1.4 offers fixed price quotations for the Goods / the Services;
 - 20.1.5 is accompanied by the required Tender Security as part of financial bid envelope;
 - 20.1.6 The original document /receipt of tender fee submitted, attached with technical bid envelope;
 - 20.1.7 is otherwise complete and generally in order;
 - 20.1.8 Conforms to all terms and conditions of the Tender Document, without material deviation or reservation.
- 20.2 A material deviation or reservation is one which affects the scope, quality or performance of the Goods or limits the Purchaser's rights or the Tenderer's obligations under the Contract.
- 20.3 The Tender determined as not substantially responsive shall not subsequently be made responsive by the Tenderer by correction or withdrawal of the material deviation or reservation. However, the Purchaser may waive off any minor non-conformity or inconsistency or informality or irregularity in the Tender.

20.4 PARAMETERS OF TECHNICAL EVALUATION CRITERIA

The Firm/Company securing less than 75% marks will be disqualified

-Total Marks: **100**

=**Qualification Marks 75 (75%) + Mandatory**

Category	Description	Points		Compliance/ Points
Legal (Mandatory)	Income Tax & General Sales Tax Registration	Mandatory		
	Undertaking that the firm is not blacklisted and involved in litigation with Government	Mandatory		
	Address, PTCL No. Availability of Quoted Goods / Products in Ware House	Mandatory		
Technical (Mandatory)	Conformance to the Technical Compliance Sheet	Mandatory		
	Bidder will submit samples of the following items by 02-01-2020. i. Work Bench/Table Min 4-feet long ii. Laminar Flow Cabinet iii. Fume Hood iv. Auditorium Chair These samples will be evaluated and after evaluation, sample would be returned back to the bidder. Transportation charges will be borne by the bidder.	Mandatory for Package – A		
	Availability of manufacturing unit of quoted items (PFSA will inspect their manufacturing Unit)	Mandatory for Package – A		
Financial strength	Financial Audit Report / Bank statements / any supporting document (Max Points 25) (last 01-year)	20-25 million	15 Points	
		25-30 million	20 Points	
		30+ million	25 Points	
P.O / W.O	(P.O/Work Order of Customers required) (Max Points 35)	10-15	25 Points	
		16-20	30 Points	
		20+	35 Points	
Technical Staff	List of Technically Qualified Staff Max (25 Points)	8-10	15 Points	
		10+	25 Points	
Office Location	Office in Lahore	Max (15 Points)	15 Points	

Correction of errors / Amendment of Tender

- 21.1 The Tender shall be checked for any arithmetic errors which shall be rectified, as follows:
 - 21.1.1 If there is a discrepancy between the amount in figures and the amount in words for the Total Tender Price entered in the Tender Form, the amount which tallies with the Total Tender Price entered in the Price Schedule, shall govern.
 - 21.1.2 if there is a discrepancy between the unit rate and the total price entered in the price Schedule, resulting from incorrect multiplication of the unit rate by the quantity, the unit rate as quoted shall govern and the total price shall be corrected, unless there is an obvious and gross misplacement of the decimal point in the unit rate, in which case the total price as quoted shall govern and the unit rate shall be corrected.
 - 21.1.3 if there is a discrepancy in the actual sum of the itemized total prices and the total tender price quoted in the Price Schedule, the actual sum of the itemized total prices shall govern.
- 21.2 The Tender price as determined after arithmetic corrections shall be termed as the Corrected Total Tender Price which shall be binding upon the Tenderer.
- 21.3 Adjustment shall be based on corrected Tender Prices. The price determined after making such adjustments shall be termed as Evaluated Total Tender Price.
- 21.4 The cost of making good any deficiency resulting from any acceptable, quantifiable variations and deviations from the terms and conditions of the Contract / Technical Specifications, shall be added to the corrected Tender Price for comparison purposes only. No credit shall be given for offering delivery period earlier than the specified period.
- 21.5 The Tenderer shall state the Tender Price for the payment terms outlined in the Conditions of Contract which will be considered for the evaluation of the Tender. The Tenderer may state alternate payment terms and indicate the reduction in the Tender price offered for such alternative payment terms. The Purchaser may consider the alternative payment terms offered by the Tenderer.
- 21.6 The Tenderers may offer discounts for items which shall be taken into account in the evaluation of the Tenders so as to determine the Tender offering the lowest evaluated cost for the Purchaser in deciding award(s) for whole tender.

Rejection / Acceptance of the Tender

- 22.1 The Purchaser shall have the right, at his exclusive discretion, to increase / decrease the quantity of any or all item(s) without any change in unit prices or other terms and conditions,
- 22.2 Accept a Tender reject any or all tender(s), cancel / annul the Tendering process at any time prior to award of Contract, without assigning any reason or any obligation to inform the Tenderer of the grounds for the Purchaser's action, and without thereby incurring any liability to the Tenderer and the decision of the Purchaser shall be final.
- 22.3 The Tender shall be rejected if it is:
 - 22.3.1 substantially non-responsive; or
 - 22.3.2 submitted in other than prescribed forms, annexes, schedules, charts, drawings, documents / by other than specified mode; or
 - 22.3.3 incomplete, un-sealed, un-signed, printed (hand written), partial, conditional, alternative, late; or
 - 22.3.4 subjected to interlineations / cuttings / corrections / erasures / overwriting; or
 - 22.3.5 the Tenderer refuses to accept the corrected Total Tender Price; or
 - 22.3.6 the Tenderer has conflict of interest with the Purchaser; or
 - 22.3.7 the Tenderer tries to influence the Tender evaluation / Contract award; or

- 22.3.8 the Tenderer engages in corrupt or fraudulent practices in competing for the Contract award.
- 22.4 there is any discrepancy between bidding documents and bidder's proposal i.e. any non-conformity or inconsistency or informality or irregularity in the submitted bid.
- 22.5 the Tenderer submits any financial conditions as part of its bid which are not in conformity with tender document.
- 22.6 Purchaser have full rights to increase/decrease Quantity at the time of issue of Purchase Order

Acceptance Letter (Letter of Intent)

The Purchaser shall, send the Acceptance Letter (Letter of Intent) to the successful Tenderer, prior to the expiry of the validity period of the Tender, which shall constitute a contract, until execution of the formal Contract.

Performance Security

- 24.1 The successful Tenderer shall furnish Performance Security as under:
 - 24.1.1 in the form of a Bank Guarantee, issued by a scheduled bank operating in Pakistan, as per the format provided in the Tender Document or in another form acceptable to the Purchaser;
 - 24.1.2 for a sum equivalent to 10% of the contract value;
 - 24.1.3 denominated in equivalent Pak Rupees;
 - 24.1.4 have a minimum validity period of ninety days from the date of Award Notification or until the date of expiry of warranty period, support period or termination of services, whichever is later.
- 24.2 The proceeds of the Performance Security shall be payable to the Purchaser, on occurrence of any / all of the following conditions:
 - 24.2.1 If the Contractor commits a default under the Contract;
 - 24.2.2 If the Contractor fails to fulfill any of the obligations under the Contract;
 - 24.2.3 If the Contractor violates any of the terms and conditions of the Contract.
- 24.3 The Contractor shall cause the validity period of the performance security to be extended for such period(s) as the contract performance may be extended. The Performance Security shall be returned to the Tenderer within thirty working days after the expiry of its validity on written request from the Contractor.

TERMS & CONDITIONS OF THE CONTRACT

Contract Title:

**PURCHASE OF MOVABLE & LAB FURNITURE FOR
TRAINING LAB**

Contract for the

Between

Punjab Forensic Science Agency (PFSA)

And

[Name of Contractor]

Dated:

Agreement

This CONTRACT AGREEMENT (this “Contract”) made as of the [day] of [month], [year], between [full legal name of the Purchaser] (the “Purchaser”), on the one part,

and

[full legal name of Contractor], on the other part severally liable to the Purchaser for all of the Contractor’s obligations under this Contract and is deemed to be included in any reference to the term “Contractor.”

RECITALS

WHEREAS,

- (a) The Government through the Purchaser intends to spend a part of its budget / funds for making eligible payments under this contract. Payments made under this contract will be subject, in all respects, to the terms and conditions of the Contract in lieu of the consulting services as described in the contract.
- (b) The Purchaser has requested the Contractor to provide certain supply of Goods/items as described in Tender Document; and
- (c) The Contractor, having represented to the Purchaser that it has the required professional skills, and personnel and technical resources, has agreed to provide such services on the terms and conditions set forth in this Contract.

NOW THEREFORE, the Parties to this Contract agree as follows:

1. The Contractor hereby covenants with the Purchaser to supply the Goods and provide the Services and to remedy defects / damage therein, at the time and in the manner, in conformity in all respects with the provisions of the Contract, in consideration of the payments to be made by the Purchaser to the Contractor.
2. The Purchaser hereby covenants with the Contractor to pay the Contractor, the Contract Price or such other sum as may become payable, at the times and in the manner, in conformity in all respects with the provisions of the Contract, in consideration of supply of the Goods and provision of the Services and remedying of defects / damage therein.
3. The following shall be deemed to form and be read and construct as part of this Contract:
 - a. The Tender Document
 - b. Bidder’s Proposal
 - c. Terms and Conditions of the Contract
 - d. Special Stipulations
 - e. The Technical Specifications
 - f. Tender Form

- g. Price Schedule
- h. Affidavit(s)
- i. Authorized Dealership / Agency Certificate
- j. Performance Security
- k. Non-Disclosure Agreement (if required)
- l. Any Standard Clause acceptable for Purchaser

4. This Contract shall prevail over all other documents. In the event of any discrepancy / inconsistency within the Contract, the above Documents shall prevail in the order listed above.\

IN WITNESS whereof the Parties hereto have caused this Contract to be executed in accordance with the laws of **Pakistan** as of the day, month and year first indicated above.

For **[full legal name of the Purchaser]:**

For **[full legal name of the Contractor]:**

Signature

Signature

Name

Name

Witnessed By:

Witnessed By:

WITNESSES

Signature _____
 CNIC # _____
 Name _____
 Designation _____
 Address _____

Signature _____
 CNIC # _____
 Name _____
 Designation _____
 Address _____

General Conditions of Contract

Contract Documents and Information

The Contractor shall not, without the Purchaser's prior written consent, make use of the Contract, or any provision thereof, or any document(s), specifications, drawing(s), pattern(s), sample(s) or information furnished by or on behalf of the Purchaser in connection therewith, except for purposes of performing the Contract or disclose the same to any person other than a person employed by the Contractor in the performance of the Contract. Disclosure to any such employed person shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.

Contract Language

The Contract and all documents relating to the Contract, exchanged between the Contractor and the Purchaser, shall be in English. The Contractor shall bear all costs of translation to English and all risks of the accuracy of such translation.

Standards

The Goods supplied and the Services provided under this Contract shall conform to the authoritative latest industry standards.

Commercial Availability

The Goods supplied under this Contract shall be commercially available at the time of signing of the contract. Commercial availability means that such Goods shall have been sold, installed and operational in more than two installations initiated under two separate contracts by manufacturer globally.

Patent Right

The Contractor shall indemnify and hold the Purchaser harmless against all third party claims of infringement of patent, trademark or industrial design rights arising from use of the Goods / the Service or any part thereof.

Execution Schedule

The Contractor shall submit an Execution Schedule, giving details of customs clearance, supply, installation, configuration, deployment, commissioning, testing, training, etc., as required under the Contract, to the Client, within three days of the signing of the Contract.

Packing

The Contractor shall provide such packing of the Goods as is sufficient to prevent their damage or deterioration during storage / transit to their final destination as indicated in the Contract. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the final destination and withstand, without limitation, rough handling, exposure to extreme temperatures, salt and precipitation at all points in storage / transit. The Contractor shall arrange and pay for the packing of the Goods to the place of destination as specified in the Contract, and the cost thereof shall be included in the Contract Price.

Insurance

The Contractor shall provide such insurance of the Goods as is sufficient to protect against their damage or deterioration during storage / transit to their final destination as indicated in the Contract. The Contractor shall arrange and pay for the insurance of the Goods to the place of destination as specified in the Contract, and the cost thereof shall be included in the Contract Price.

Labeling

The Goods supplied under the Contract, shall be clearly labeled so as to correspond with the delivered documentation, with proper labeling scheme provided by the Client.

Delivery

- The Service shall remain at the risk and under the physical custody of the Contractor until the delivery and testing of the Goods is completed.
- The Contractor shall ensure that the Goods shall be delivered complete to enable the testing and training to proceed without interruption. If it shall appear to the Client that the Goods have been or are likely to be delayed by reason of incomplete delivery or for any other reasons, he may require the Contractor at the expense of the Contractor to dispatch the missing items of the Goods or suitable replacements thereof to the site of delivery by the fastest available means including air freight.
- The Contractor shall include in the Tender a detailed logistics plan which shall include support details for transportation, mobilization and personnel scheduling during project implementation and the warranty period. The Contractor shall provide maintenance, supply and procurement support necessary for Client to maintain all system, at the contracted performance and reliability level. The Contractor shall arrange and pay for the transport of the Goods to the place of destination as specified in the Contract, and the cost thereof shall be included in the Contract Price.

Safety

- The Contractor shall be responsible for the embedding of safety features in the inherent design of the equipment, for elimination of identified hazards, including but not limited to high voltage, electromagnetic radiation, sharp points and edges, etc., and reduction of associated risk to personnel and equipment.
- The Contractor shall be responsible for the addition of bilingual warnings and caution notices, where hazards cannot be eliminated or risks cannot be reduced.
- The Contractor shall be responsible for the protection of the power sources, controls, and critical components of the redundant systems and subsystems by shielding or physical separation when possible.

Inspection and Testing

- The Client shall inspect and test the Goods supplied, the Services provided or the Works carried out, under the Contract, to verify their conformity to the Technical Specifications.
- The inspections and tests shall be conducted at the premises of the Contractor / its subcontractor(s) / at the final destination. Where conducted at the premises of the Contractor / its subcontractor(s), the Contractor / its subcontractor(s) shall provide all-reasonable facilities and assistance, including access to drawings, production data and online verification from official web site of the Manufacture, to the inspectors, at no charge to the Purchaser.
- The Purchaser may reject the Goods, the Services or the Works if they fail to conform to the Technical Specifications, in any test(s) or inspection(s) and the Contractor shall either replace the rejected Goods, Services or Works or make all alterations necessary to meet the Technical Specifications, within three working days, free of cost to the Purchaser.
- The Purchaser's post-delivery right to inspect, test and, where necessary, reject the Goods shall in no way be limited or waived by reason of pre-delivery inspection, testing or passing of the Goods.

Taking-Over Certificate

- The Contractor shall, by written notice served on the Client with a copy to the Purchaser, apply for a Taking-Over Certificate.
- The Client shall, within seven days of receipt of Contractor's application, either issue the Taking-Over Certificate to the Contractor with a copy to the Purchaser, stating the date of successful inspection / testing of the Goods or any portion thereof, for their intended purposes; or reject the application giving the reasons and specifying the work required to be done by the Contractor to enable the Taking-Over Certificate to be issued.

Warranty

- The Contractor shall warrant to the Purchaser that the Goods/Services supplied by the Contractor, under the Contract are genuine, brand new, non- refurbished, un-altered in any way, of the most recent

or current model, imported through proper channel, and incorporate all recent improvements in design and materials, unless provided otherwise in the Contract.

- The Contractor shall further warrant that the Goods/Services supplied by the Contractor, under the Contract shall have no defect, arising from design, materials, workmanship or from any act or omission of the Contractor that may develop under normal use of the supplied Goods/Services.
- The Contractor shall provide Manufacturer’s warranty (if applicable) (hereinafter referred as Warranty Period), after the issue of Taking-over Certificate in respect of Goods, the Services and the Works, or any portion

Ownership of Goods and Replaced Components

Goods to be supplied to the Purchaser, pursuant to the Contract, shall become the property of the Purchaser when the Goods are taken over by the Purchaser. Defective components to be replaced by the Contractor, pursuant to the Contract, shall become the property of the Contractor as and where it lies.

Payment

- **PAYMENT SCHEDULE:**

Sr. #	DESCRIPTION	PAYMENT
1	On Delivery of All Ordered Items at PFSA and Inspection / Completion report Sign-Off by the relevant section	100% of total cost

- The Contractor shall submit an Application for Payment, in the prescribed form, to the Client. The Application for Payment shall: be accompanied by such invoices, receipts or other documentary evidence as the Client may require; state the amount claimed; and set forth in detail, in the order of the Price Schedule, particulars of the Goods supplied, the Services provided and the Works done, up to the date of the Application for Payment and subsequent to the period covered by the last preceding Certificate of Payment, if any

Price

The Contractor shall not charge prices for the Goods supplied, the Services provided and for other obligations discharged, under the Contract, varying from the prices quoted by the Contractor in the Price Schedule.

Stamp Papers for the contract Signing

As per Section 22(A)(b) of Schedule –I, Stamp Act 1899 read with Finance Act 1995(Act-IV of 1995) Government of the Punjab, The Contractor shall provide ‘stamp papers/Stamp Duty’ worth of 0.25% of the total contract/Purchase Order Value for the signing of Contract to the PFSA.

Contract Amendment

- The Purchaser may, at any time, by written notice served on the Contractor, alter, amend, omit, increase, decrease or otherwise change the nature, quality, quantity and scope, of all / any of the Goods / the Services / the Works, in whole or in part.
- The Contractor shall, within ten working days of receipt of such notice, submit a cost estimate and execution schedule of the proposed change (hereinafter referred to as the Change), to the Purchaser.
- The Contractor shall not execute the Change until and unless the Purchaser has allowed the said Change, by written order served on the Contractor with a copy to the Client.
- The Change, mutually agreed upon, shall constitute part of the obligations under this Contract, and the provisions of the Contract shall apply to the said Change.
- No variation in or modification in the Contract shall be made, except by written amendment signed

by both the Purchaser and the Contractor.

Assignment / Subcontract

- The Contractor shall not assign or sub-contract its obligations under the Contract, in whole or in part, except with the Purchaser's prior written consent.
- The Contractor shall guarantee that any and all assignees / subcontractors of the Contractor shall, for performance of any part / whole of the work under the contract, comply fully with the terms and conditions of the Contract applicable to such part / whole of the work under the contract.

Extensions in time for performance of obligations under the Contract

If the Contractor encounters conditions impeding timely performance of any of the obligations, under the Contract, at any time, the Contractor shall, by written notice served on the Purchaser with a copy to the Client, promptly indicate the facts of the delay, its likely duration and its cause(s). As soon as practicable after receipt of such notice, the Purchaser shall evaluate the situation and may, at its exclusive discretion, without prejudice to any other remedy it may have, by written order served on the Contractor with a copy to the Client, extend the Contractor's time for performance of its obligations under the Contract.

Liquidated Damages

If the Contractor fails / delays in performance of any of the obligations, under the Contract / violates any of the provisions of the Contract / commits breach of any of the terms and conditions of the Contract the Purchaser may, without prejudice to any other right of action / remedy it may have, deduct from the Contract Price, as liquidated damages, a sum of money @0.25% of the Contract Price which is attributable to such part of the Goods / the Services / the Works as cannot, in consequence of the failure / delay, be put to the intended use, for every day between the scheduled delivery date(s), with any extension of time thereof granted by the Purchaser, and the actual delivery date(s). Provided that the amount so deducted shall not exceed, in the aggregate, 10% of the Contract Price.

Blacklisting

- If the Contractor fails / delays in performance of any of the obligations, under the Contract / violates any of the provisions of the Contract / commits breach of any of the terms and conditions of the Contract the Purchaser may, at any time, without prejudice to any other right of action / remedy it may have, blacklist the Contractor, either indefinitely or for a stated period, for future tenders in public sector.
- If the Contractor is found to have engaged in corrupt or fraudulent practices in competing for the award of contract or during the execution of the contract, the Purchaser may, at any time, without prejudice to any other right of action / remedy it may have, blacklist the Contractor, either indefinitely or for a stated period, for future tenders in public sector.

Termination for Default

- If the Contractor fails / delays in performance of any of the obligations, under the Contract / violates any of the provisions of the Contract / commits breach of any of the terms and conditions of the Contract the Purchaser may, at any time, without prejudice to any other right of action / remedy it may have, by written notice served on the Contractor with a copy to the Client, indicate the nature of the default(s) and terminate the Contract, in whole or in part, without any compensation to the Contractor. Provided that the termination of the Contract shall be resorted to only if the Contractor does not cure its failure / delay, within fifteen working days (or such longer period as the Client may allow in writing), after receipt of such notice.
- If the Purchaser terminates the Contract for default, in whole or in part, the Purchaser may procure, upon such terms and conditions and in such manner as it deems appropriate, Goods / Services / Works, similar to those undelivered, and the Contractor shall be liable to the Purchaser for any excess costs for such similar Goods / Services / Works. However, the Contractor shall continue performance of the Contract to the extent not terminated.

Termination for Insolvency

If the Contractor becomes bankrupt or otherwise insolvent, the Purchaser may, at any time, without prejudice to any other right of action / remedy it may have, by written notice served on the Contractor with a copy to the Client, indicate the nature of the insolvency and terminate the Contract, in whole or in part, without any compensation to the Contractor.

Termination for Convenience

- The Purchaser may, at any time, by written notice served on the Contractor with a copy to the Client, terminate the Contract, in whole or in part, for its convenience, without any compensation to the Contractor.
- The Goods and the Services which are complete or to be completed by the Contractor, within thirty working days after the receipt of such notice, shall be accepted by the Purchaser. For the remaining Goods, the Purchaser may elect:
 - to have any portion thereof completed and delivered; and/or
 - to cancel the remainder and pay to the Contractor an agreed amount for partially completed Goods, Services, Works and materials / parts previously procured by the Contractor for the purpose of the Contract, together with a reasonable allowance for overhead & profit.

Force Majeure

- The Contractor shall not be liable for liquidated damages, blacklisting for future tenders, termination for default, if and to the extent his failure / delay in performance / discharge of obligations under the Contract is the result of an event of Force Majeure.
- If a Force Majeure situation arises, the Contractor shall, by written notice served on the Purchaser with a copy to the Client, indicate such condition and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Contractor shall continue to perform under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

Dispute Resolution

The Purchaser and the Contractor shall make every effort to amicably resolve, by direct informal negotiation, any disagreement or dispute arising between them under or in connection with the Contract.

- If, after thirty working days, from the commencement of such informal negotiations, the Purchaser and the Contractor have been unable to amicably resolve a Contract dispute, either party may, require that the dispute be referred for resolution by arbitration under the Pakistan Arbitration Act, 1940, as amended, by one or more arbitrators selected in accordance with said Law. The place for arbitration shall be Lahore, Pakistan. The award shall be final and binding on the parties.

Statutes and Regulations

- The Contract shall be governed by and interpreted in accordance with the laws of Pakistan.
- The Contractor shall, in all matters arising in the performance of the Contract, conform, in all respects, with the provisions of all Central, Provincial and Local Laws, Statutes, Regulations and By-Laws in force in Pakistan, and shall give all notices and pay all fees required to be given or paid and shall keep the Purchaser indemnified against all penalties and liability of any kind for breach of any of the same.
- The Courts at Lahore shall have the exclusive territorial jurisdiction in respect of any dispute or difference of any kind arising out of or in connection with the Contract.

Contract Cost

The Contractor shall bear all costs / expenses associated with the preparation of the Contract and the Purchaser shall in no case be responsible / liable for those costs / expenses.

The Client

- The Client shall only carry out such duties and exercise such authority as specified in the Contract. The Client shall have no authority to relieve the Contractor of any of his obligations under the Contract, except as expressly stated in the Contract.
- The Contractor shall proceed with the decisions, instructions or approvals given by the Client in accordance with these Conditions.
- The Client shall conform with all the relevant clauses of this Tender Document to carry out all responsibilities assigned thereto in a timely manner.

Authorized Representative

- The Purchaser, the Client or the Contractor may, at their exclusive discretion, appoint their Authorized Representative and may, from time to time, delegate any / all of the duties / authority, vested in them, to their authorized Representative(s), including but not limited to, signing on their behalf to legally bind them, and may, at any time, revoke such delegation.
- The Authorized Representative shall only carry out such duties and exercise such authority as may be delegated to him, by the Purchaser, the Client or the Contractor.
- Any such delegation or revocation shall be in writing and shall not take effect until notified to the other parties to the Contract.
- Any decision, instruction or approval given by the Authorized Representative, in accordance with such delegation, shall have the same effect as though it had been given by the Principal.
- Notwithstanding Clause 65.4, any failure of the Authorized Representative to disapprove any Goods or Services or Works shall not prejudice the right of the Client to disapprove such Goods or Services or Works and to give instructions for the rectification thereof.
- If the Contractor questions any decision or instruction of the Authorized Representative of the Purchaser / the Client, the Contractor may refer the matter to the Purchaser / the Client who shall confirm, reverse or vary such decision or instruction.

Waiver

Failure of either party to insist upon strict performance of the obligations of the other party, under the Contract, shall in no way be deemed or construed to affect in any way the right of that party to require such performance.

Special Stipulations

SCHEDULE-A, SPECIAL STIPULATIONS	
For ease of Reference, certain special stipulations are as under:	
Tender Security	The Contractor shall furnish the Tender Security as under: for the whole Tender; in the form of Demand Draft / Pay Order / Call Deposit Receipt, in the name of the Purchaser; for a sum equivalent to 2% of the estimated Price; denominated in Pak Rupees;
Liquidated damages for failure / delay in supply / installation / configuration of Goods / Services / Works by the Contractor	Liquidated damages shall be levied @ 0.25% of the Contract Price which is attributable to such part of the Goods / the Services / the Works as cannot, in consequence of the failure / delay, be put to the intended use, for every day between the scheduled delivery date(s), with any extension of time thereof granted by the Purchaser, and the actual delivery date(s). Provided that the amount so deducted shall not exceed, in the aggregate, 10% of the Contract Price. (This penalty will also be invoked on the commitments given by the Contractor in the technical proposal)

Annexure-A

Technical Proposal Submission Form

[Location, Date]

To (Name and address of Client / Purchaser)

Dear Sir,

We, the undersigned, offer to provide the (insert title of assignment) in accordance with your Request for Proposal/Tender Document dated (insert date) and our Proposal. We are hereby submitting our Proposal, which includes the Technical Proposal and the Financial Proposal sealed in two separate envelopes.

We undertake, if our Proposal is accepted, to provide supply of related to the assignment.

We also confirm that the Government of Pakistan / Punjab has not declared us, or any, ineligible on charges of engaging in corrupt, fraudulent, collusive or coercive practices. We furthermore, pledge not to indulge in such practices in competing for or in executing the Contract, and we are aware of the relevant provisions of the Proposal Document.

We understand you are not bound to accept any Proposal you receive.

We remain,

Yours sincerely,

Authorized Signature

(In full and initials)

Name and Designation of Signatory

Name of Firm

Address

Financial Proposal Submission Form (Part of Financial Bid Envelope)

[Location, Date]

To (Name and address of Client / Purchaser)

Dear Sir,

We, the undersigned, offer to provide the (Insert title of assignment) in accordance with your Request for Proposal dated (insert date) and our Technical Proposal. Our attached Financial Proposal is for the sum of (insert amount in words and figures).

Our Financial Proposal shall be binding upon us subject to the modifications resulting from Contract negotiations, up to expiration of the validity period of the Proposal, i.e. before the date indicated in of the Proposal Data Sheet.

We also declare that the Government of Pakistan / Punjab has not declared us or any Sub-Contractors for any part of the Contract, ineligible on charges of engaging in corrupt, fraudulent, collusive, or coercive practices. We furthermore, pledge not to indulge in such practices in competing for or in executing the Contract, and are aware of the relevant provisions of the Proposal Document.

We understand you are not bound to accept any Proposal you receive.

Signed

In the capacity of:

Duly authorized to sign the proposal on behalf of the Applicant.

Date:

Annexure-C

Price Schedule/ Financial Cost Sheet

Must be filled separately

Sr. No.	Item Description with details specs and models etc.	Quantity	Price per unit (PKR)	Total Cost without GST	G.S.T.	TOTAL Price (incl. of all taxes)

Total Cost (in words). _____

Total GST : . _____

Grand Totals : . _____

Date _____

Place _____

Signature of authorized person

Name:

(Company Seal)

In the capacity of
Dully authority by

Note: No cutting or overwriting is allowed. Any cutting or overwriting will lead to rejection of the financial bid.

Format for Covering Letter

To
(Name and address of Purchaser)

Sub: _____.

Dear Sir,

- a) Having examined the tender document and Appendixes we, the undersigned, in conformity with the said document, offer to provide the said items on terms of reference to be signed upon the award of contract for the sum indicated as per financial bid.
- b) We undertake, if our proposal is accepted, to provide the items/services comprise in the contract within time frame specified, starting from the date of receipt of notification of award from the client Department / Office.
- c) We agree to abide by this proposal for the period of ____ days (as per requirement of the project) from the date of bid opening and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
- d) We agree to execute a contract in the form to be communicated by the _(insert name of the Purchaser)_, incorporating all agreements with such alterations or additions thereto as may be necessary to adapt such agreement to the circumstances of the standard.
- e) Unless and until a formal agreement is prepared and executed this proposal together with your written acceptance thereof shall constitute a binding contract agreement.
- f) We understand that you are not bound to accept a lowest or any bid you may receive, not to give any reason for rejection of any bid and that you will not defray any expenses incurred by us in bidding.
- g) We would like to clearly state that we qualify for this work as our company meets all the criteria indicated on your tender document. The details are as under:

Authorized Signatures with Official Seal

INSTRUCTION FOR PREPARATION OF POWER OF ATTORNEY

Endorsed

- a)** To be executed by an authorized representative of the bidder.
- b)** The mode of execution of the Power of Attorney should be in accordance with the procedure, if any, laid down by the applicable law and the charter documents of the executants and when it is so required the same should be under common seal affixed in accordance with the required procedure.
- c)** Also, wherever required, the Bidder should submit for verification the extract of the charter documents and documents such as a resolution/power of attorney in favor of the Person executing this Power of Attorney for the delegation of power hereunder on behalf of the Bidder.
- d)** In case the Application is signed by an authorized Director / Partner or Proprietor of the Applicant, a certified copy of the appropriate resolution / document conveying such authority may be enclosed in lieu of the Power of Attorney.

Format of Power-of-Attorney

POWER OF ATTORNEY

(On Stamp Paper of relevant value)

Know all men by these presents, we (name of the company and address of the registered office) do hereby appoint and authorize Mr. (full name and residential address) who is presently employed with us and holding the position of as our attorney, to do in our name and on our behalf, all such acts, deeds and things necessary in connection with or incidental to our proposal for (name of the project) in response to the tenders invited by the (name of the Purchaser) including signing and submission of all documents and providing information/responses to (name of the Purchaser) in all matters in connection with our Bid.

We hereby agree to ratify all acts, deeds and things lawfully done by our said attorney pursuant to this Power of Attorney and that all acts, deeds and things done by our aforesaid attorney shall and shall always be deemed to have been done by us.

Dated this _____ day of _____ 20__

For _____

(Signature)

(Name, Designation and Address)

Accepted

(Signature)

(Name, Title and Address of the Attorney)

Date:

UNDERTAKING

It is certified that the information furnished here in and as per the document submitted is true and correct and nothing has been concealed or tampered with. We have gone through all the conditions of tender and is liable to any punitive action for furnishing false information / documents.

Dated this _____ day of _____ 20__

Signature

(Company Seal)

In the capacity of

Duly authorized to sign bids for and on behalf of:

AFFIDAVIT

Integrity Pact

We (Name of the bidder / supplier) being the first duly sworn on oath submit, that Mr. / Ms. _____ (if participating through agent / representative) is the agent / representative duly authorized by (Name of the bidder company) hereinafter called the Contractor to submit the attached bid to the (Name of the Purchaser). Affiant further states that the said M/s (Bidding Firm/Company Name) has not paid, given or donate or agreed to pay, given or donate to any line officer or employee of the (Name of the Purchaser) any money or thing of value, either directly or indirectly, for special consideration in the letting of the contract, or for giving undue advantage to any of the bidder in the bidding and in the evaluation and selection of the bidder for contract or for refraining from properly and thoroughly maintaining projects implementations, reporting violation of the contract specification or other forms of non-compliance.

Signature & Stamp

Subscribed and sworn to me this _____ day of _____ 20__

Notary Public

TENDER SECURITY FORM

WHEREAS [Name and Address of the Contractor] (hereinafter called "the Contractor") has submitted Tender against Tender Name. _____ (hereinafter called "the Tender") to the [Name and Address of the Purchaser] (hereinafter called "the Purchaser") for the Total Tender Price of PKR (in figures _____) (in words _____).

AND WHEREAS [Name of the Bank] having registered office at [Address of the Bank] (hereinafter called "the Guarantor") has agreed to give the Contractor a Guarantee;

THEREFORE the Guarantor hereby affirms to bind himself, his successors and his assigns to the Purchaser, for the sum of PKR (in figures _____) (in words _____) and undertakes to pay to the Purchaser, upon receipt of his written demand(s), any sum(s) as specified by him, not exceeding the above limit in aggregate, without cavil / argument and without the Purchaser having to substantiate / prove or to show grounds / reasons for such claim(s), on the occurrence of any / all of the following conditions:

1. If the Contractor withdraws the Tender during the period of the Tender validity specified by the Contractor on the Tender Form; or
2. If the Contractor does not accept the corrections of his Total Tender Price; or

Provided that the Purchaser shall specify the occurred condition(s) owing to which the said sum is due to him.

Provided further that any demand(s) / claim(s) from the Purchaser shall reach the Guarantor within thirty working days after the expiry of the Guarantee.

This guarantee shall remain valid up to _____.

Date this _____ day of 20_____.

GUARANTOR

Signature _____
 CNIC # _____
 Name _____
 Designation _____
 Address _____

PERFORMANCE SECURITY

Issuing Authority:
Date of Issuance:
Date of Expiry: 90 - days
Claim Lodgment Date:

WHEREAS [Name and Address of the Contractor] (hereinafter called "the Contractor") has agreed to supply the Goods and render the Services against Tender Name. _____ (hereinafter called "the Contract") for the Contract Value of PKR (in figures _____) (in words _____).

AND WHEREAS it has been stipulated in the Tender Document that the successful Contractor shall furnish Performance Security, within seven working days of the receipt of the Acceptance Letter from the Purchaser, in the form of a Bank Guarantee, issued by a scheduled bank operating in Pakistan, as per the format provided in the Tender Document or in another form acceptable to the Purchaser, for a sum equivalent to Rs. _____ (10% of the contract value) valid from the date of issue until all obligations have been fulfilled in accordance with the Contract;

AND WHEREAS [Name of the Bank] having registered office at [Address of the Bank] (hereinafter called "the Guarantor") has agreed to give the Contractor a Guarantee;

THEREFORE the Guarantor hereby affirms to bind himself, his successors and his assigns to the Purchaser, for the sum of PKR (in figures _____) (in words _____) and undertakes to pay to the Purchaser, upon receipt of his written demand(s), any sum(s) as specified by him, not exceeding the above limit in aggregate, without cavil / argument and without the Purchaser having to substantiate / prove or to show grounds / reasons for such claim(s), on the occurrence of any / all of the following conditions:

1. If the Contractor commits a default under the Contract;
2. If the Contractor fails to fulfill any of the obligations under the Contract;
3. If the Contractor violates any of the provisions of the Contract.

Provided that the Purchaser shall specify the occurred condition(s) owing to which the said sum is due to him.

Provided further that any demand(s) / claim(s) from the Purchaser shall reach the Guarantor within thirty working days after the expiry of the Guarantee.

This guarantee shall remain valid up to _____ or until expiry of warranties or all obligations have been fulfilled in accordance with the Contract, whichever is later.

Date this _____ day of 20_____

GUARANTOR:

Signature _____
 CNIC # _____
 Name _____
 Designation _____
 Address _____

**SCHEDULE OF REQUIREMENTS /
TENDER SPECIFICATIONS**

Package - A

LAB FURNITURE			
SCHEDULE OF REQUIREMENTS / TENDER SPECIFICATIONS			
GROUND FLOOR			
Sr.No	Description	Unit	Quantity
1	<u>SUPPLY & INSTALLATION OF COUNTER ALONG THE WALL</u>	RFT	176.4
	<i>1.1 Supply & Installation of Suspended Floor Cabinets</i>		
	Size:		
	W: 20 inches		
	H: 27 inches		
	D: 16 inches		
	Material (Galvanized Steel Sheet):		
	Gauge: 20 SWG		
	Specification:		
	•Drawer: Slid able Qty: 01		
	•Door: Double Panel Qty: 01		
	Flushed cabinet front		
	Paint: Anti-Microbial PU Epoxy coating		
	<i>1.2 Supply & Installation of Suspended Cabinet Frame structure</i>	RFT	444.5
	Size:		
	H: 34 inches		
	D: 28 inches		
	L: as per room layout design		
	Material (MS Pipe):		
	Legs: 16 SWG 1.5"x1.5"		
	Long Rails: 16 SWG 1.5" x 4"		
Paint: Anti-Microbial PU Epoxy coating			
Suspended cabinet fixed on the frames with nut, bolts. Legs with supporting adjustable foot pad.			
<i>1.3 Supply & Installation of WORK TOP alongwith Border</i>	RFT	444.5	
RD Microbial guard chemical resistance compact laminate with top EBC surface.			
Chemical resistant, Scratch resistant, Acid resistant, antibacterial, impact resistance, UV protection, High stability, Heat resistant, Electric resistant, water resistant and UV protection.			
Certificate of conformance required from manufacturer.			
• Work Top			

	Size: W 30 inches				
	Thickness: 13 mm				
	• Border				
	Size: H 03 inches				
	Thickness: 13 mm				
2	<u>SUPPLY & INSTALLATION OF LAB WALL HANGING CABINET</u>	No.	93		
	Size:				
	W: 40 inches				
	D: 13 Inches				
	H: 31 Inches				
	Material (Galvanized Steel Sheet):				
	Gauge: 20 SWG				
	Specification:				
	With Glass doors				
	Shelf: 01				
Paint: Anti-Microbial PU Epoxy coating					
3	<u>SUPLY & INSTALLATION OF ISLAND TABLE Size: 120"x60"x34" LxWxH</u>	No.	12		
	<i>3.1 Supply & Installation of Suspended Floor Cabinets</i>				
	SUSPENDED CABINETS				
	W: 30 inches				
	H: 27 inches				
	D: 18 inches				
	Material (Galvanized Steel Sheet):				
	Gauge: 20 SWG				
	Specification:				
	•Drawer: Slid able Qty: 02 with each cabinet				
	•Door: Double Panel Qty: 02 with each cabinet				
	Flushed cabinet front				
	Paint: Anti-Microbial PU Epoxy coating				
	<i>3.2 Supply & Installation of Suspended Cabinet Frame structure</i>			No.	3
	Size:				
	H: 34 inches				
W: 56 inches					
L: 116 inches					
Material (MS Pipe):					
Legs: 16 SWG 1.5"x1.5"					

	Long Rails: 16 SWG 1.5" x 4"		
	Paint: Anti-Microbial PU Epoxy coating		
	Suspended cabinet fixed on the frames with nut, bolts. Legs with supporting adjustable foot pad.		
	3.3 Supply & Installation of Worktop		
	RD Microbial guard chemical resistance compact laminate with top EBC surface.		
	Chemical resistant, Scratch resistant, Acid resistant, antibacterial, impact resistance, UV protection, High stability, Heat resistant, Electric resistant, water resistant and UV protection.	No.	3
	Certificate of conformance required from manufacturer.		
	Size: W60" x L120"		
	Thickness: 13 mm		
	3.4 Supply & Installation of Reagent Racks		
	Size: 84x12x30 inches LxWxH		
	Material (MS Pipe):		
	•Pillars: Pipe 16 SWG 1.5" x 4" Qty: 03		
	•Rack Frame: Pipe 16 SWG 0.5" x 1.5" Qty: 08	No.	3
	•Bracket: MS thickness 3mm Qty: 08		
	•Working Shelf : 5mm thick Chemical resistance sheet Qty: 04		
	Paint: Anti-Microbial PU Epoxy coating		
	Electric Sockets: 04		
	<u>SUPPLY & INSTALLATION OF STAINLESS STEEL SINK</u>		
	SS Table SINK		
	SIZE:		
	L: 48 inches		
	D: 28 inches		
	H: 36 inches		
	Sink Bowl Size: (L28xW16 x D12inches)		
4	Bottom with two Doors	No.	4
	Top Back : 6 inches Height		
	•Two way Tap: Qty: 01		
	Material		
	Gauge: 18 SWG		
	SS: 304		
	With Drain coupling		
	<u>SUPPLY & INSTALLATION OF FUME HOOD</u>		
5	Size: Internal Dimensions	No.	3
	(W x D x H): 46" x 27" x 30".		

	<p>External Dimensions with base cabinet.</p> <p>(W x D x H): 56" x 31" x 84".</p> <ul style="list-style-type: none"> • Main body: Electro galvanized steel. • Gauge: 20 SWG. • Paint: Anti-Microbial PU Epoxy coating. • Working base of Phenolic Resin chemical resistant sheet. • Internal side with Lining of chemical resistant sheet. • Imported Water & Gas Valves. • Swan Tap. • PVC chemical resistant Sink. • Light intensity at work surface: 700 lux minimum. Vertical rising counter balanced sash. • Airflow uniformity throughout the main chamber of hood for maximum protection. • Bypass Airflow System for air intake when sash is closed. • Design to ensure no air turbulence. • No exposed metal screws are present in the work zone construction. • Built-in blower(s) / External blower with variable speed controller(s). • Multi power plug: 02. • Double wall design. 		
6	<p><u>SUPPLY & INSTALLATION OF EMERGENCY SHOWER</u></p> <ul style="list-style-type: none"> • Complete SS EYE & Body Emergency Shower • SS: 304 	No.	5
FIRST FLOOR			
7	<p><u>SUPPLY & INSTALLATION OF COUNTER ALONG THE WALL</u></p> <p><i>7.1 Supply & Installation of Lab Suspended Floor Cabinets</i></p> <p>Size:</p> <p>W: 20 inches</p> <p>H: 27 inches</p> <p>D: 16 inches</p> <p>Material (Galvanized Steel Sheet):</p> <p>Gauge: 20 SWG</p> <p>Specification:</p> <ul style="list-style-type: none"> •Drawer: Slid able Qty: 01 •Door: Double Panel Qty: 01 <p>Flushed cabinet front</p> <p>Paint: Anti-Microbial PU Epoxy coating</p>	RFT	218.4

	<p>7.2 Supply & Installation of Suspended Cabinet Frame structure</p> <p>Size:</p> <p>H: 34 inches</p> <p>D: 28 inches</p> <p>L: as per room layout design</p> <p>Material (MS Pipe):</p> <p>Legs: 16 SWG 1.5"x1.5"</p> <p>Long Rails: 16 SWG 1.5" x 4"</p> <p>Paint: Anti-Microbial PU Epoxy coating</p> <p>Suspended cabinet fixed on the frames with nut, bolts. Legs with supporting adjustable foot pad.</p>	RFT	573.3
	<p>7.3 Supply & Installation of Worktop alongwith Border</p> <p>RD Microbial guard chemical resistance compact laminate with top EBC surface.</p> <p>Chemical resistant, Scratch resistant, Acid resistant, antibacterial, impact resistance, UV protection, High stability, Heat resistant, Electric resistant, water resistant and UV protection.</p> <p>Certificate of conformance required from manufacturer.</p> <p>• Work Top</p> <p>Size: W 30 inches</p> <p>Thickness: 13 mm</p> <p>• Border</p> <p>Size: H 03 inches</p> <p>Thickness: 13 mm</p>	RFT	573.3
8	<p><u>SUPPLY & INSTALLATION OF LAB WALL HANGING CABINET</u></p> <p>Size:</p> <p>W: 40 inches</p> <p>D: 13 Inches</p> <p>H: 31 Inches</p> <p>Material (Galvanized Steel Sheet):</p> <p>Gauge: 20</p> <p>Specification:</p> <p>With Glass doors.</p> <p>Shelf: 01</p> <p>Paint: Anti-Microbial PU Epoxy coating</p>	No.	88
9	<p><u>SUPPLY & INSTALLATION OF ISLAND TABLE</u></p> <p><u>Size: 120"x60" x34" LxWxH</u></p> <p>9.1 Supply & Installation of Suspended Floor Cabinets</p>	No.	12

SUSPENDED CABINETS			
Size			
W: 30 inches			
H: 27 inches			
D: 18 inches			
Material (Galvanized Steel Sheet):			
Gauge: 20 Gauge			
Specification:			
•Drawer: Slid able Qty: 02 with each cabinet			
•Door: Double Panel Qty: 02 with each cabinet			
Flushed cabinet front			
Paint: Anti-Microbial PU Epoxy coating			
9.2 Supply & Installation of Suspended Cabinet Frame structure			
Size:			
H: 34 inches			
W: 56 inches			
L: 116 inches			
Material (MS Pipe):		No.	3
Legs: 16 SWG 1.5"x1.5"			
Long Rails: 16 SWG 1.5" x 4"			
Paint: Anti-Microbial PU Epoxy coating			
Suspended cabinet fixed on the frames with nut, bolts. Legs with supporting adjustable foot pad.			
9.3 Supply & Installation of Worktop			
RD Microbial guard chemical resistance compact laminate with top EBC surface.			
Chemical resistant, Scratch resistant, Acid resistant, antibacterial, impact resistance, UV protection, High stability, Heat resistant, Electric resistant, water resistant and UV protection.		No.	3
Certificate of conformance required from manufacturer.			
Size: W60" x L120"			
Thickness: 13 mm			
9.4 Supply & Installation of Reagent Racks			
Size: 84x12x30 inches LxWxH			
Material (MS Pipe):			
•Pillars: Pipe16 SWG 1.5" x 4" Qty: 03		No.	3
•Rack Frame: Pipe16 SWG 0.5" x 1.5" Qty:08			
•Bracket: MS thickness 3mm Qty: 08			
•Working Shelf : 5mm thick Chemical resistance sheet Qty: 04			

	Paint: Anti-Microbial PU Epoxy coating		
	Electric Sockets: 04		
10	<u>SUPPLY & INSTALLATION OF STAINLESS STEEL SINK</u>	No.	11
	SS Table SINK		
	Size		
	L: 48 inches		
	D: 28 inches		
	H: 36 inches		
	Sink Bowl Size: (L28xW16 x D12inches)		
	Bottom with two Doors		
	Top Back : 6 inches Height		
	•Two way Tap Qty: 01		
	Material		
	Gauge: 18 SWG		
	SS: 304		
	With Drain coupling		
11	<u>SUPPLY & INSTALLATION OF FUME HOOD</u>	No.	7
	Size: Internal Dimensions		
	(W x D x H): 46" x 27" x 30".		
	External Dimensions with base cabinet.		
	(W x D x H): 56" x 31" x 84".		
	• Main body: Electro galvanized steel.		
	• Gauge: 20 SWG.		
	• Paint: Anti-Microbial PU Epoxy coating.		
	• Working base of Phenolic Resin chemical resistant sheet.		
	• Internal side with Lining of chemical resistant sheet.		
	• Imported Water & Gas Valves.		
	• Swan Tap.		
	• PVC chemical resistant Sink.		
	• Light intensity at work surface: 700 lux minimum. Vertical rising counter balanced sash.		
	• Airflow uniformity throughout the main chamber of hood for maximum protection.		
	• Bypass Airflow System for air intake when sash is closed.		
	• Design to ensure no air turbulence.		
	• No exposed metal screws are present in the work zone construction.		
• Built-in blower(s) / External blower with variable speed controller(s).			
• Multi power plug: 02.			

	<ul style="list-style-type: none"> • Double wall design. 					
12	<p><u>SUPPLY & INSTALLATION OF LAMINAR FLOW CABINET</u></p> <p>External Dimensions Approx. (W x D x H): 42.0" x 36" x 46".</p> <p>Internal Work Dimensions Approx. (W x D x H): 36" x 25" x 28".</p> <ul style="list-style-type: none"> • ISO Class 5 air cleanliness within work zone as per ISO 14644.1. • Equivalent to Class 100 as per US Federal Standard 209E. • Room air enters through a washable, re-usable pre filter & passes through a blower/motor into the plenum then to a HEPA supply filter into the work area as Vertical unidirectional airflow. • High-quality pre-filter 30% resistance. • H 14 HEPA filter with a typical efficiency of 99.997% at 0.3 microns. • Mini-pleat separator-less HEPA filter technology. • Metal guard on both sides of Filter prevents accidental damage to HEPA. • Built-in variable speed controller adjustable from zero to the maximum speed. • The cabinet control system includes separate switches for lights and blower. • Pressure gauge for airflow differential pressure monitoring. • Main body of the LFC is constructed with electro galvanized steel. • Gauge: SWG 20. • Paint: Anti-Microbial PU Epoxy. • A straight back wall maximizes available work area and accommodates lab equipment and apparatus commonly used in the Laminar Flow Cabinet. • Energy-saving fluorescent lighting with solid-state ballasts reduces flicker, minimizes heat output, improves eye comfort and extends lamp life. • Type 304 stainless steel work surface with smooth corners to permit easy cleaning. • Non-glare work surface improves work comfort. The satin finish work surface diminishes harsh light reflection. 	No.	2			
	13			<p><u>SUPPLY & INSTALLATION OF EMERGENCY SHOWER</u></p> <ul style="list-style-type: none"> • Complete SS EYE & Body Emergency Shower • SS: 304 	No.	5
				14		

	D: 18 inches H: 84 inches Material (SS 304): •Upright Frame/Angle Pillars: 2" x 2" 14 SWG •Shelf: 16 SWG •Angle joint/Ribs: 14 SWG •Foot Plate: 14 SWG •Hardware with SS nut bolts •Finish: Mat		
15	<u>SUPPLY & INSTALLATION OF PASS THROUGH WINDOWS</u> EMBADED TYPE PASS THROUGH BOX General Features: • Special Push Pad control system with GMP compliance programming. • 100% Stainless Steel 304 Non Magnetic • Gauge: 18 SWG. • Internal & Outer SS 304. • Door open indication & Alarm system. • White Rubber Glass Gasket 19mm Thick. • Door White D Shape Rubber gasket. • Built in U.V Light with interlocking & manual setting. • Florescent Light. • Electrical interlock system with reinforced construction reduces cross-contamination. • Easy to clean stainless steel from inside & outside. • Panel door gives clear view of internal chamber. • Easy to install and adaptable to existing facilities. Size • WxDxH 24"x 24" x 24" inches External Dimen. (Aprox.) • WxDxH 17.75"x 21.5" x 19" inches Internal Dimen. (Aprox.)	No.	3
16	<u>SUPPLY & INSTALLATION OF WORKING TABLE</u> <i>16.1 Supply & Installation of Suspended Floor Cabinets</i> Size: W: 20 inches H: 27 inches D: 16 inches Material (Galvanized Steel Sheet): Gauge: 20 Gauge	RFT	140.4

	Specification: •Drawer: Slid able Qty: 01 •Door: Double Panel Qty: 01 Flushed cabinet front Paint: Anti-Microbial PU Epoxy coating		
	16.2 Supply & Installation of Suspended Cabinet Frame structure Size: H: 34 inches D: 28 inches L: as per room layout design Material (MS Pipe): Legs: 16 SWG 1.5"x1.5" Long Rails: 16 SWG 1.5" x 4" Paint: Anti-Microbial PU Epoxy coating Suspended cabinet fixed on the frames with nut, bolts. Legs with supporting adjustable foot pad.	RFT	384
	16.3 Supply & Installation of Worktop RD Microbial guard chemical resistance compact laminate with top EBC surface. Chemical resistant, Scratch resistant, Acid resistant, antibacterial, impact resistance, UV protection, High stability, Heat resistant, Electric resistant, water resistant and UV protection. Certificate of conformance required from manufacturer. Size: W 30 inches Thickness: 13 mm	RFT	384
SECOND FLOOR			
17	<u>SUPPLY & INSTALLATION OF COUNTER ALONG THE WALL</u> 17.1 Supply & Installation of Suspended Floor Cabinets Size: W: 20 inches H: 27 inches D: 16 inches Material (Galvanized Steel Sheet): Gauge: 20 Gauge Specification: •Drawer: Slid able Qty: 01 •Door: Double Panel Qty: 01 Flushed cabinet front	RFT	183.6

	Paint: Anti-Microbial PU Epoxy coating		
	17.2 Supply & Installation of Suspended Cabinet Frame structure		
	Size:		
	H: 34 inches		
	D: 28 inches		
	L: as per room layout design		
	Material (MS Pipe):	RFT	472.5
	Legs: 16 SWG 1.5"x1.5"		
	Long Rails: 16 SWG 1.5" x 4"		
	Paint: Anti-Microbial PU Epoxy coating		
	Suspended cabinet fixed on the frames with nut, bolts. Legs with supporting adjustable foot pad.		
	17.3 Supply & Installation of Worktop alongwith Border		
	RD Microbial guard chemical resistance compact laminate with top EBC surface.		
	Chemical resistant, Scratch resistant, Acid resistant, antibacterial, impact resistance, UV protection, High stability, Heat resistant, Electric resistant, water resistant and UV protection.		
	Certificate of conformance required from manufacturer.	RFT	472.5
	• Work Top		
	Size: W 30 inches		
	Thickness: 13 mm		
	• Border		
	Size: H 03 inches		
	Thickness: 13 mm		
18	<u>SUPPLY & INSTALLATION OF LAB WALL HANGING CABINET</u>		
	Size:		
	W: 40 inches		
	D: 13 Inches		
	H: 31 Inches		
	Material (Galvanized Steel Sheet):	No.	110
	Gauge: 20		
	Specification:		
	With Glass doors.		
	Shelf: 01		
	Paint: Anti-Microbial PU Epoxy coating		
19	<u>SUPPLY & INSTALLATION OF ISLAND TABLE Size: 120"x60" x34" LxWxH</u>	No.	32

<p>19.1 Supply & Installation of Suspended Floor Cabinets</p> <p>SUSPENDED CABINETS</p> <p>Size</p> <p>W: 30 inches</p> <p>H: 27 inches</p> <p>D: 18 inches</p> <p>Material (Galvanized Steel Sheet):</p> <p>Gauge: 20 Gauge</p> <p>Specification:</p> <p>•Drawer: Slid able</p> <p>Qty: 02 with each cabinet</p> <p>•Door: Double Panel</p> <p>Qty: 02 with each cabinet</p> <p>Flushed cabinet front</p> <p>Paint: Anti-Microbial PU Epoxy coating</p>		
<p>19.2 Supply & Installation of Suspended Cabinet Frame structure</p> <p>Size:</p> <p>H: 34 inches</p> <p>W: 56 inches</p> <p>L: 116 inches</p> <p>Material (MS Pipe):</p> <p>Legs: 16 SWG 1.5"x1.5"</p> <p>Long Rails: 16 SWG 1.5" x 4"</p> <p>Paint: Anti-Microbial PU Epoxy coating</p> <p>Suspended cabinet fixed on the frames with nut, bolts. Legs with supporting adjustable foot pad.</p>	No.	8
<p>19.3 Supply & Installation of Worktop</p> <p>RD Microbial guard chemical resistance compact laminate with top EBC surface.</p> <p>Chemical resistant, Scratch resistant, Acid resistant, antibacterial, impact resistance, UV protection, High stability, Heat resistant, Electric resistant, water resistant and UV protection.</p> <p>Certificate of conformance required from manufacturer.</p> <p>Size: W60" x L120"</p> <p>Thickness: 13 mm</p>	No.	8
<p>19.4 Supply & Installation of Reagent Racks</p> <p>Size: 84x12x30 inches LxWxH</p> <p>Material (MS Pipe):</p>	No.	8

	<ul style="list-style-type: none"> •Pillars: Pipe 16 SWG 1.5” x 4” Qty: 03 •Rack Frame: Pipe 16 SWG 0.5” x 1.5” Qty:08 •Bracket: MS thickness 3mm Qty: 08 •Working Shelf : 5mm thick Chemical resistance sheet Qty: 04 Paint: Anti-Microbial PU Epoxy coating Electric Sockets: 04 		
20	<p>SUPPLY & INSTALLATION OF STAINLESS STEEL SINK</p> <p>SS Table SINK</p> <p>Size</p> <p>L: 48 inches</p> <p>D: 28 inches</p> <p>H: 36 inches</p> <p>Sink Bowl Size: (L28xW16 x D12inches)</p> <p>Bottom with two Doors</p> <p>Top Back : 6 inches Height</p> <ul style="list-style-type: none"> •Two way Tap <p>Qty: 01</p> <p>Material</p> <p>Gauge: 18 SWG</p> <p>SS: 304</p> <p>With Drain coupling</p>	No.	13
21	<p><u>SUPPLY & INSTALLATION OF FUME HOOD</u></p> <p>Size: Internal Dimensions</p> <p>(W x D x H): 46” x 27” x 30”.</p> <p>External Dimensions with base cabinet.</p> <p>(W x D x H): 56” x 31” x 84”.</p> <ul style="list-style-type: none"> • Main body: Electro galvanized steel. • Gauge: 20 SWG. • Paint: Anti-Microbial PU Epoxy coating. • Working base of Phenolic Resin chemical resistant sheet. • Internal side with Lining of chemical resistant sheet. • Imported Water & Gas Valves. • Swan Tap. • PVC chemical resistant Sink. • Light intensity at work surface: 700 lux minimum. Vertical rising counter balanced sash. • Airflow uniformity throughout the main chamber of hood for maximum protection. 	No.	6

	<ul style="list-style-type: none"> • Bypass Airflow System for air intake when sash is closed. • Design to ensure no air turbulence. • No exposed metal screws are present in the work zone construction. • Built-in blower(s) / External blower with variable speed controller(s). • Multi power plug: 02. • Double wall design. 		
22	<u>SUPPLY & INSTALLATION OF EMERGENCY SHOWER</u>	No.	10
	• Complete SS EYE & Body Emergency Shower		
	• SS: 304		
23	<u>SUPPLY & INSTALLATION OF WORKING TABLE W 60"</u>	RFT	32.4
	<i>23.1 Supply & Installation of Suspended Floor Cabinets</i>		
	Size:		
	W: 20 inches		
	H: 27 inches		
	D: 16 inches		
	Material (Galvanized Steel Sheet):		
	Gauge: 20 Gauge		
	Specification:		
	•Drawer: Slid able		
	Qty: 01		
	•Door: Double Panel		
	Qty: 01		
	Flushed cabinet front		
	Paint: Anti-Microbial PU Epoxy coating		
	<i>23.2 Supply & Installation of Suspended Cabinet Frame structure</i>	RFT	65
	Size:		
	H: 34 inches		
	D: 56 inches		
	L: as per room layout design		
	Material (MS Pipe):		
	Legs: 16 SWG 1.5"x1.5"		
	Long Rails: 16 SWG 1.5" x 4"		
Paint: Anti-Microbial PU Epoxy coating			
Suspended cabinet fixed on the frames with nut, bolts. Legs with supporting adjustable foot pad.			
<i>23.3 Supply & Installation of Worktop</i>	RFT	65	
RD Microbial guard chemical resistance compact laminate with top EBC surface.			



	Chemical resistant, Scratch resistant, Acid resistant, antibacterial, impact resistance, UV protection, High stability, Heat resistant, Electric resistant, water resistant and UV protection.		
	Certificate of conformance required from manufacturer.		
	Size: W 60 inches		
	Thickness: 13 mm		
MISCS ITEMS			
24	SUPPLY & INSTALLATION OF OPEN SHELF ADJUSTABLE RACKS POWDER COATED WITH 5 SHELVES		
	W: 48 inches		
	D: 18 inches		
	H: 84 inches		
	Material (MS):		
	•Upright Frame/Angle Pillars: 2" x 2" 14 SWG	No.	980
	•Shelf: 16 SWG		
	•Angle joint/ Ribs: 14 SWG		
	• Hardware with Galvanized nut bolts		
•Foot Plate: 14 SWG			
25	SUPPLY & INSTALLATION OF FILE CABINETS OFFICES	No.	14
	• Size: 13'-4" x 7'-0" x 1'- 8".		
	• Structure is made of 22 SWG, prime quality cold rolled M.S Powder coated Sheets.		
	• Door of file cabinets and shelves are made of 18 SWG, prime quality cold rolled M.S Powder coated Sheets, with door locks & keys.		
26	SUPPLY & INSTALLATION OF FILE CABINETS DG'S MEETING ROOM	No.	2
	• Size: 28'-0" x 7'-0" x 1'-8".		
	• Structure is made of 22 SWG, prime quality cold rolled M.S Powder coated Sheets.		
	• Door of file cabinets and shelves are made of 18 SWG, prime quality cold rolled M.S Powder coated Sheets, with door locks & keys.		
27	SUPPLY & INSTALLATION OF BOOK SHELVES	No.	40
	• Size: 3' x 2' x 7'-6" (WxDxH).		
	• Material: M.S Section Pipe and Sheet Powder Coated.		
	• Structure is made of 14 SWG M.S Pipe 1"x 2" and 1"x 3" section.		
	• 18 SWG M.S Perforated sheet of sides and center partition.		
	• 07 Shelves of 18 SWG M.S Sheet.		
	• All joints will be argon welded and highly finished, Adjustable levelling bolt.		


28	SUPPLY & INSTALLATION OF STORAGE CABINETS (JANITORIAL)	No.	12
	• Size: 5' x 7' x 1'-6".		
	• Material: Prime Quality Cold Rolled M.S sheet Powder Coated.		
	• 03 Shelves of 18 SWG M.S Sheet.		
29	SUPPLY & INSTALLATION OF LABORATORY CHAIRS	No.	295
	• Specially designed seat (460x460mm) and back (400x300mm) made of fiber glass.		
	• Dual lever chair mechanism for seat and back adjustment.		
	• Seat height adjustment up to 230mm.		
	• Tilting mechanism seat and back rest.		
	• Board mounting steel frame for seat.		
	• Foot Ring/Rest.		
	• PVC star base.		
30	SUPPLY & INSTALLATION OF AUDITORIUM CHAIRS	No.	346
	• Strong Steel Structure with 14 &16 SWG Tubular & Sheet Metal.		
	• Seat and back 2x2 ft – High Density (A Grade) foam 4 inch thick.		
	• Folding seat.		
	• Folding writing tablet is incorporated in Arm Rest Box.		
	• Solid wood Armrest cover.		
	• Arm Rest Boxes are also cushioned from both sides.		
	• Upholstery - Imported fabric- (back rest, seat and sides).		
31	SUPPLY & INSTALLATION OF AUDITORIUM CHAIRS - HANDICAP	No.	4
	• Strong Steel Structure with 14 &16 SWG Tubular & Sheet Metal.		
	• Seat and back 2x2 ft – High Density (A Grade) foam 4 inch thick.		
	• Folding seat		
	• Folding writing tablet is incorporated in Arm Rest Box.		
	• Solid wood armrest cover		
	• Arm Rest Boxes are also cushioned from both sides.		
• Upholstery - Imported fabric- (back rest, seat and sides).			





- **Bidders will have to quote complete package not a single item.**
- **The bidder will provide 01 Year on-site warranty after installation and commissioning of the Furniture.**



Package – B



MOVEABLE FURNITURE SCHEDULE OF REQUIREMENTS / TENDER SPECIFICATIONS


Sr.No	Description	Quantity/ Set	Detail	Pictures
1	Supply & Installation of a) 03 Seater b) 02 Seater c) 02 single seats d) 02 corner tables e) 01 Centre table	8 Nos/Set	<p>Sofa 3 Seater: (1800mm x 800mm x 800mm) 450mm seat height (L x w x H) Three Seater sofa with chrome finish M.S base and fully padded antimicrobial PVC fabric. Seat/ upholstery: Anti-microbial PVC Fabric. Base/Frame: Chrome Plated M.S Base.</p> <p>Sofa 2 Seater: (1450mm x 800mm x 800mm) 450mm seat height (L x w x H) Two Seater sofa with chrome finish M.S base and fully padded antimicrobial PVC fabric. Seat/ upholstery: Anti-microbial PVC Fabric. Base/Frame: Chrome Plated M.S Base.</p> <p>Sofa 1 Seater: 910mmx820mmx960mm 450mm seat height (L x w x H) Single Seater sofa with chrome finish M.S base and fully padded antimicrobial PVC fabric. Seat/ upholstery: Anti-microbial PVC Fabric. Base/Frame: Chrome Plated M.S Base</p> <p>Corner table Description: Laminated plywood top and Aluminum rod base.</p>	 


			<p>02 Corner Table Size: 550mm x 550mm x 450mm (L x W x H) Work Top: 25mm Thick plywood surface with laminate finish. Surface to be sturdy & rigid. Material shall be resistant to scratch, impact, moisture, dampness, chemical & allow easy to cleaning of stains. Table Base: Powder coated aluminum pedestal. To be sturdy & easy to handle and transport. Center table Description: Laminated plywood top and Aluminum rod base. 01 Centre Table: 1100mm x 1100mm x 450 mm (L x W x H) Work Top: 25mm Thick plywood surface with laminate finish. Surface to be sturdy & rigid. Material shall be resistant to scratch, impact, moisture, dampness chemical & allow easy to cleaning of stains Table Base: 25 -50mm (bottom to top) Dia Powder coated aluminum pedestal. To be sturdy & easy to handle and transport.</p>	
2	Supply & Installation of Office Chair- Low Back	42 Nos	<p>Description: Standard height range pneumatic adjustable, tilt limiter & forward tilt alongwith arms. (non-upholster arm pad) Size: 510mm x460mm x800mm, (400 seat height) L x W x H Seat/upholstery: Padded anti-microbial Chair with PVC fabric Base/Frame: Graphite with 65mm swivel wheel casters</p>	


3	Supply & Installation of Office Chair- Full Back	14 Nos	<p>Description: Chair Standard height range pneumatic adjustable, tilt limiter & forward tilt alongwith arms.</p> <p>Size: 510mm x460mm x800mm, (400-520mm seat high) L x W x H.</p> <p>Seat/upholstery: Medium density, fire retardant polyurethane foam with Anti-microbial Pvc fabric.</p> <p>Base/Frame: Chrome finish with 65mm swivel wheel caster.</p>	
4	Supply & Installation of Reception Chairs	5 Nos	<p>Description: Standard height range pneumatic adjustable, tilt limiter & forward tilt alongwith arms. (Non- upholstered arm pad)</p> <p>Size: 510mm x460mm x800mm, (400 seat height) L x W x H</p> <p>Seat/upholstery: Padded Chair with anti-microbial PVC fabric</p> <p>Base/Frame: Chrome finish Aluminium with wheel casters</p>	
5	Supply & Installation of Visitors Chairs	30 Nos	<p>Description: Standard Height Aluminum frame chair with wire mesh upholstery.</p> <p>Size: 400mm x400mm x750mm, (450 seat height) L x W x H.</p> <p>Seat/upholstery: Padded chair with anti-microbial PVC fabric & mesh back.</p> <p>Frame/Base: Aluminum with chrome finish.</p>	
6	Supply & Installation of Chairs- Lecture Room	235 Nos	<p>Description: Stackable plastic chairs with aluminum framesize: 510mm x460mm x800mm, (450mm seat height) L x W x H</p> <p>Seat/upholstery: Padded anti-microbial seat with injection molded plastic back</p> <p>Frame/Base : Chrome plated aluminum base</p>	




7	Supply & Installation of Study Table , Chairs	24 Nos	<p>TABLE: Size: 1200mm x600mm x750mm, L x W x H Work top: 25mm Thick laminated plywood surface with laminate finish. Work surface to be sturdy & rigid and capable of supporting heavy office equipment's material shall be resistant to scratch, impact, moisture, dampness, chemical and allow easy cleaning of stains. Table Base: 50mm Thick plywood with laminate finish. To be light , sturdy & rigid allowing range of confutation and easy installation. Electrical: to provide power cable/management, electrical cabling and wiring from floor to work top neatly concealed, table to be provided with hinged flap access panel for power and data.</p> <p>CHAIR: Description: Chair Standard height range pneumatic adjustable , tilt limiter & forward tilt alongwith arms. Size: 510mm x460mm x800mm, (400-520mm seat height) L x W x H. Seat/upholstery: Medium density, fire retardant polyurethane foam with Anti-microbial Pvc fabric. Base/Frame: Chrome finish with 65mm swivel wheel caster</p>	 
8	Supply & Installation of	14 Nos	<p>COUCH: Size: 600mm x 570mm x 800mm (450mm seat height) L x W x H.</p>	


	<p>a) 04 Single Couches</p> <p>b) 01 corner Table</p>		<p>Seat/upholstery: Padded seat with Anti Microbial PVC Fabric.</p> <p>Base/Frame: Aluminium frame with chrome finish.</p> <p>TABLE:</p> <p>Corner table Description: Laminated plywood top and Aluminium rod base.</p> <p>Corner Table Size: 550mm x 550mm x 450mm (L x W x H).</p> <p>Work Top: 25mm Thick plywood surface with laminate finish. Surface to be sturdy & rigid. Material shall be resistant to scratch, impact, moister, dampness, chemical & allow easy to cleaning of stains.</p> <p>Table Base: Powder coated aluminium pedestal. To be sturdy & easy to handle and transport.</p>	
<p>9</p>	<p>Supply & Installation of Conference table for 12 persons with chairs</p>	<p>2 Nos/Set</p>	<p>TABLE:</p> <p>Size: 4000mm x 1050mm x 750mm (L x W x H).</p> <p>Work top: 25mm Thick laminated plywood surface with laminate finish. Work surface to be sturdy & rigid and capable of supporting heavy office equipment's material shall be resistant to scratch, impact, moisture, dampness, chemical and allow easy cleaning of stains.</p> <p>Base/ Frame: Frame and columns in aluminium with matt silver powder coating. It should have metal against metal fixing and construction to be light, sturdy and rigid allowing range of configuration and easy instalment.</p>	



			<p>Electrical: table top includes pop-up box that is connected to the floor service outlet box via snake. Cabling and wiring from floor to work top to be neatly concealed.</p> <p>CHAIR: Description: Chair Standard height range pneumatic adjustable , tilt limiter & forward tilt alongwith arms. Size: 510mm x460mm x800mm, (400-520mm seat height) L x W x H. Seat/upholstery: Medium density, fire retardant polyurethane foam with Anti-microbial Pvc fabric. Base/Frame: Chrome finish with 65mm swivel wheel caster.</p>	
10	<p align="center">Supply & Installation of Conference table for 14 persons with chairs</p>	1 Nos/Set	<p>TABLE: Size: 4800mm x 1050mm x 750mm (L x W x H). Work top: 25mm Thick laminated plywood surface with laminate finish. work surface to be sturdy & rigid and capable of supporting heavy office equipment's material shall be resistant to scratch, impact, moisture, dampness, chemical and allow easy cleaning of stains. Base/ Frame: Frame and columns in aluminium with matt silver powder coating. It should have metal against metal fixing and construction to be light, sturdy and rigid allowing range of configuration and easy instalment. Electrical: table top includes pop-up box that is connected to the floor service</p>	

			<p>outlet box via A snake. Cabling and wiring from floor to work top to be neatly concealed.</p> <p>CHAIR: Description: Chair Standard height range pneumatic adjustable , tilt limiter & forward tilt alongwith arms. Size: 510mm x460mm x800mm, (400-520mm seat height) L x W x H. Seat/upholstery: Medium density, fire retardant polyurethane foam with Anti-microbial Pvc fabric. Base/Frame: Chrome finish with 65mm swivel wheel caster.</p>	
11	<p align="center">Supply & Installation of Discussion table for 06 persons with chairs</p>	3 Nos/Set	<p>TABLE:Size: 2400mm x 1200mm x 750mm (L x W x H).Work Top: 25mm plywood with laminate finish and matching ABs edges from Formica or equivalent supplier work surface to be sturdy & rigid and capable of supporting heavy office Equipment's. Material shall be resistant to scratch, impact, moisture, dampness, chemical & allow easy cleaning of stains.Table Base: Aluminium pedestal with powder coated surface - perfered colour is matt silver it should have metal against metal fixing and construction should be light sturdy and rigid allowing range of confutation and easy installation.CHAIR:Description: Chair Standard height range pneumatic adjustable , tilt limiter & forward tilt alongwith arms.Size: 510mm x460mm x800mm, (400-520mm seat height) L x W x H.Seat/upholstery: Medium density,</p>	


			fire retardant polyurethane foam with Anti-microbial Pvc fabric. Base/Frame: Chrome finish with 65mm swivel wheel caster.	
12	Supply & Installation of Conference table 08 Persons with Chairs	1 Nos/Set	<p>TABLE: Size: 2400mm x 1050mm x 750mm (L x W x H). Work top: 25mm Thick laminated plywood surface with laminate finish. Work surface to be sturdy & rigid and capable of supporting heavy office equipment's material shall be resistant to scratch, impact, moisture, dampness, chemical and allow easy cleaning of stains. Base/ Frame: Frame and columns in aluminium with matt silver powder coating. It should have metal against metal fixing and construction to be light, sturdy and rigid allowing range of configuration and easy instalment. Electrical: table top includes pop-up box that is connected to the floor service outlet box via a snake. Cabling and wiring from floor to work top to be neatly concealed.</p> <p>CHAIR: Description: Chair Standard height range pneumatic adjustable , tilt limiter & forward tilt alongwith arms. Size: 510mm x460mm x800mm, (400-520mm seat height) L x W x H. Seat/upholstery: Medium density, fire retardant polyurethane foam with Anti-microbial Pvc fabric.</p>	

			Base/Frame: Chrome finish with 65mm swivel wheel caster.	
13	Supply & Installation of Dining Table for 06 Persons with chairs	9 Nos/Set	<p>TABLE: Size: 1050mm x 1050 mm x 720mm (L x W x H). Work top: 20mm Thick laminated plywood surface with laminate finish. Work surface to be sturdy & rigid and capable of supporting heavy office equipment's material shall be resistant to scratch, impact, moisture, dampness, chemical and allow easy cleaning of stains. Table Base: Sand Blasted cast iron base, powder coated aluminium tube column 150mmx150mm.</p> <p>CHAIR: Description: Cafeteria Chair. Size: 510mm x460mm x800mm, (450 seat height) L x W x H. Seat/upholstery: Aluminium PVC Fabric. Frame/Base: Aluminium with chrome finish.</p>	 
14	Supply & Installation of Reception Desk Full Back chair	1 Nos/Set	<p>TABLE: Size: 1500mm x 700mm x750mm (L x W x H). Work Top: 25mm thick laminated plywood surface with laminate finish. Work surface to be sturdy & rigid & capable of supporting heavy office equipment. Material shall be resistant to scratch, impact, moisture, dampness, chemical & allow easy cleaning of stains. Table Base: 50mm Thick plywood with</p>	



		<p>laminated finish. To be light, sturdy & rigid allowing range of configuration and easy installation.</p> <p>ADD On: Mobile Pedestal: 3 Tiered mobile steel pedestal in powder coated/ epoxy finish with key lock system. It shall have two box drawer, one file drawer & pencil tray. Entire drawers shall be accessible when fully extended. It shall be equipped lockable casters and be able to take load up to 13kg (1500mm x500mm x600mm).</p> <p>Electrical: to provide power/cable management, electrical cabling and wiring from floor to work top neatly concealed. Table to be provided with hinged flap access panel for power and data.</p> <p>CHAIR: Description: Chair Standard height range pneumatic adjustable, tilt limiter & forward tilt along with arms. size: 510mm x460mm x800mm, (400-520mm seat height) L x W x H. Seat/upholstery: Medium density, fire retardant polyurethane foam with Anti-microbial Pvc fabric. Base/Frame: Chrome finish with 65mm swivel wheel caster.</p>	
--	--	--	---


<p>15</p>	<p>Supply & Installation of Main Reception Desk with Corian top</p>	<p>1 Nos/Set</p>	<p>TABLE: Size: 1500mm x 700mm x750mm (L x W x H). Work Top: 25mm thick laminated plywood surface with laminate finish. Work surface to be sturdy & rigid & capable of supporting heavy office equipment. Material shall be resistant to scratch, impact, moisture, dampness, chemical & allow easy cleaning of stains. Table Base: 50mm Thick plywood with laminate finish. To be light, sturdy & rigid allowing range of confutation and easy installation. ADD On: Mobile Pedestal: 3 Tiered mobile steel pedestal in powder coated/ epoxy finish with key lock system. It shall have two box drawer, one file drawer & pencil tray. Entire drawers shall be accessible when fully extended. It shall be equipped lockable casters and be able to take load up to 13kg (1500mm x500mm x600mm). Electrical: to provide power/cable management, electrical cabling and wiring from floor to work top neatly concealed. Table to be provided with hinged flap access panel for power and data. CHAIR: Description: Chair Standard height range pneumatic adjustable , tilt limiter & forward tilt alongwith arms. size: 510mm x460mm x800mm, (400-520mm seat height) L x W x H</p>	 
-----------	--	------------------	---	--


			<p>Seat/upholstery: Medium density, fire retardant polyurethane foam with Anti-microbial Pvc fabric.</p> <p>Base/Frame: Chrome finish with 65mm swivel wheel caster.</p>	
16	<p>Supply & Installation of a) 01 Executive Desk b) 01 Executive Chair c) 02 Visitor Chairs</p>	(02 Nos/set)	<p>EXECUTIVE TABLE;Size: 1600mm x 800mm x750mm (L x W x H).Work Top: 25mm thick laminated plywood surface with laminate finish. Work surface to be sturdy & rigid & capable of supporting heavy office equipment. Material shall be resistant to scratch, impact, moisture, dampness, chemical & allow easy cleaning of stains.Table Base: Aluminium in chrome finish. To be light, sturdy & rigid allowing range of configuration and easy installation.ADD On: Mobile Pedestal: 3 Tiered mobile steel pedestal in powder coated/ epoxy finish with key lock system. It shall have two box drawer, one file drawer & pencil tray. Entire drawers shall be accessible when fully extended. It shall be equipped lockable casters and be able to take load up to 13kg (1500mm x500mm x600mm).Electrical: to provide power/cable management, electrical cabling and wiring from floor to work top neatly concealed. Table to be provided with hinged flap access panel for power and data.EXECUTIVE CHAIR (A Class Category).EXECUTIVE VISITOR CHAIR (A Class Category).</p>	
17	<p>Supply & Installation of L-Shape Desk</p>	14 Nos	<p>Size: 1500mm x 700mm x750mm (L x W x H).</p> <p>Work Top: 25mm thick laminated</p>	


			<p>plywood surface with laminate finish. Work surface to be sturdy & rigid & capable of supporting heavy office equipment. Material shall be resistant to scratch, impact, moisture, dampness, chemical & allow easy cleaning of stains.</p> <p>Table Base: 50mm Thick plywood with laminate finish. To be light, sturdy & rigid allowing range of configuration and easy installation.</p> <p>ADD On: Mobile Pedestal: 3 Tiered mobile steel pedestal in powder coated/ epoxy finish with key lock system. It shall have two box drawer, one file drawer & pencil tray. Entire drawers shall be accessible when fully extended. It shall be equipped lockable casters and be able to take load up to 13kg (1500mm x500mm x600mm).</p> <p>Electrical: to provide power/cable management, electrical cabling and wiring from floor to work top neatly concealed. Table to be provided with hinged flap access panel for power and data.</p>	
18	Supply & Installation of Work Stations	42 Nos	<p>Size: (L x W x H) Detail attached at Annex-1</p> <p>Work Top : Table top in high quality solid wood surface to be sturdy & rigid and capable of supporting heavy office equipment's material shall be resistant to scratch, impact, moisture, dampness, chemical and allow easy cleaning of stains.</p> <p>Table Base: High quality, polished solid wood base.</p>	

			<p>ADD On: Mobile Pedestal: 3 Tiered mobile steel pedestal in powder coated/ epoxy finish with key lock system. It shall have two box drawers, 01 file drawer and pencil tray. It shall be accessible when fully extended. It shall be equipped with lockable casters and be able to take load up to 13kg. 1500mm x 500mm x 600mm.</p> <p>Electrical: Table top includes POP. Box that is connected to the floor services outlet box via a snake. Cabling and wiring from floor SOB to work top to be neatly concealed.</p>	
--	--	--	---	---

<p>19</p>	<p>Supply & Installation of Attendant's Desk , Chair</p>	<p>05 Nos</p>	<p>CHAIR: Attendant Desk Chair Description: Standard height range pneumatic adjustable (without arms). Size: 510mm x 460mm x 800mm (L x W x H) 450mm seat height. Seat/upholstery: Medium density polyurethane with anti-microbial PVC. Base/ Frame: M.S frame & legs with 65mm swivel wheel casters. 03 years warranty with supporting test certificates. TABLE: Attendant Desk Size: 1500mm x 700mm x750mm (L x W x H). Work Top: 25mm thick laminated plywood surface with laminate finish. Work surface to be sturdy & rigid & capable of supporting heavy office equipment. Material shall be resistant to scratch, impact, moisture, dampness, chemical & allow easy cleaning of stains. Table Base: 50mm Thick plywood with laminate finish. To be light, sturdy & rigid allowing range Of confutation and easy installation. ADD On: Mobile Pedestal: 3 Tiered mobile steel pedestal in powder coated/ epoxy finish with Key lock system. It shall have two box drawer, one file drawer & pencil tray. Entire drawers Shall be accessible when fully extended. It shall be equipped lockable casters and be able to take load up to 13kg (1500mm x500mm x600mm). Electrical: to provide power/cable</p>	 
-----------	--	---------------	--	---

			management, electrical cabling and wiring from floor to work Top neatly concealed. Table to be provided with hinged flap access panel for power and data.	
20	Supply & Installation of Info Desk , Chair	(02 Nos/ set)	<p>CHAIR: Info Desk Chair Description: Standard height range pneumatic fully adjustable arms. Size: 510mm x 460mm x 800mm (400-520 seat height) (L x W x H). Seat/upholstery: Classic pellicle carbon. Base/ Frame: Graphite finish 65mm swivel wheel casters. 03 years warranty with supporting test certificates.</p> <p>TABLE: Info Desk Size: 1500mm x 700mm x750mm (L x W x H). Work Top: 25mm thick laminated plywood surface with laminate finish. Work surface to be sturdy & rigid & capable of supporting heavy office equipment. Material shall be resistant to Scratch, impact, moisture, dampness, chemical & allow easy cleaning of stains. Table Base: 50mm Thick plywood with laminate finish. To be light, sturdy & rigid allowing range Of confutation and easy installation. ADD On: Mobile Pedestal: 3 Tiered mobile steel pedestal in powder coated/ epoxy finish with Key lock system. It shall have two box drawer, one file drawer & pencil tray. Entire drawers</p>	 

			<p>Shall be accessible when fully extended. It shall be equipped lockable casters and be able to take load up to 13kg (1500mm x500mm x600mm).</p> <p>Electrical: to provide power/cable management, electrical cabling and wiring from floor to work Top neatly concealed. Table to be provided with hinged flap access panel for power and data.</p>	
21	<p>Supply & Installation of Benches</p>	04 Nos	<p>Size: 2850mm x 540mm x 820mm (450mm seat height)Seat/Upholstery: Anti-microbial fabric on molded PU seat.Base/ Frame: Aluminium powder coated frame.</p>	
MISCS WORKS				
1	<p>Supply & Installation of White Boards</p>	06 Nos	<p>Size: 8' x 4' Standard Size & material available in market</p>	
2	<p>Supply & Installation of Speech Desk</p>	07 Nos	<p>Size: Standard & available in market</p>	
3	<p>Supply & Installation of Table Tennis</p>	01 Nos	<p>Standard Size & which is available in market</p>	



- Bidders will have to quote complete package not a single item.
- The bidder will provide 01 Year on-site warranty after installation and commissioning of the Furniture.